

ANNUAL CONGRESSES AND CLINICAL MEETINGS ACCEPTED ABSTRACTS:

Annual Congress of the American Urological Association (AUA), San Antonio, May 3 –6 2024

-V13-09 Total bulbospongiosum muscle-sparing for bulbar urethroplasty: beyond the one-sided dissection Pankaj Joshi, Nicole Albanese, Shreyas Bhadrnawar, Francesco Cattafi, Andrea Salonia, Francesco Montorsi, Sanjay Kulkarni, and **Marco Bandini**.

-PD09-03 Assessing epigenetic features associated with lymph node metastases in prostate cancer **Marco Bandini** , Paolo Zaurito , Francesco Barletta , Giuseppe Ottone Cirulli , Roberta Lucianò , Francesca Giannese , Giulia Maria Scotti , Caterina Oneto , Armando Stabile , Elio Mazzone , Vito Cucchiara , Gabriele Sorce , Nazario Pio Tenace , Federico Scarfò , Giorgio Brembilla , Antonio Esposito , Marco Morelli , Dejan Lazarevic , Francesco De Cobelli , Claudio Doglioni , Giovanni Tonon , Alberto Briganti , Giorgio Gandaglia , and Francesco Montorsi.

- MP75-15 Time from surgery for benign prostatic enlargement to symptoms of obstruction due to the onset of bladder neck stenosis is associated with outcomes after bladder neck incision Leonardo Quarta , **Marco Bandini** , Paolo Zaurito , Francesco Cattafi , Christian Corsini , Donato Cannoletta , Alfonso Santangelo , Andrea Cosenza , Michele Brancaccio , Nicole Albanese , Vincenzo Scattoni , Roberto Bertini , Renzo Colombo , Rayan Matloob , Umberto Capitanio , Giorgio Gandaglia , Andrea Salonia , Alberto Briganti , and Francesco Montorsi.

- PD11-10 The impact of histology and type of energy used on oncological outcomes after local tumor ablation of small renal masses Pietro Piazza , Lorenzo Bianchi , Stefano Luzzago , **Marco Bandini** , Angelo Mottaran , Sasan Amirhassankhani , Bernardino De Concilio , Antonio Celia , Stefano Puliatti , Riccardo Scarlatti , Carla Serra , Alberta Cappelli , Rita Golfieri , Gennaro Musi , Andrea Gallina , Riccardo Schiavina , Ottavio De Cobelli , Francesco Montorsi , and Eugenio Brunocilla.

- MP67-17 Perioperative and long-term oncological outcomes after local tumor ablation for complex (padua score ≥ 10) renal tumors: a multicenter analysis Pietro Piazza , Lorenzo Bianchi , Stefano Luzzago , **Marco Bandini** , Angelo Mottaran , Sasan Amirhassankhani , Stefano Puliatti , Bernardino De Concilio , Antonio Celia , Carla Serra , Alberta Cappelli , Rita Golfieri , Gennaro

Musi , Andrea Gallina , Michele Rizzo , Giovanni Liguori , Carlo Trombetta , Riccardo Schiavina , Ottavio De Cobelli , Francesco Montorsi , and Eugenio Brunocilla.

- PD33-05 Proposal and internal validation of a nomogram for the prediction of local recurrence-free survival after percutaneous ablation for ct1 renal masses Angelo Mottaran , Luigi Nocera , Lorenzo Bianchi , Stefano Luzzago , **Marco Bandini** , Pietro Piazza , Antonio Celia , Carla Serra , Alberta Cappelli , Antonio De Cinque , Francesco Modestino , Rita Golfieri , Gennaro Musi , Andrea Gallina , Francesco De Cobelli , Giovanni Mauri , Franco Orsi , Umberto Capitanio , Riccardo Schiavina , Ottavio De Cobelli , Francesco Montorsi , and Eugenio Brunocilla.

**39th Annual Congress of the European Association of Urology (EAU), EAU24 Paris, 5 – 8
April 2024**

- V030 - Video comparative analysis of modern dynamic sentinel node biopsy techniques in european referral centres: Practices, variations, and opportunities for research.
Yan S., Fankhauser C., Ayres B., Watkin N., Longoni M., **Bandini M.**

- A1083 - Assessing epigenetic features associated with lymph node metastases in prostate cancer
Bandini M., Zaurito P., Barletta F., Cirulli G.O., Lucianò R., Giannese F., Scotti G.M., Cucchiara V., Stabile A., Mazzone E., Oneto C., Sorce G., Tenace N.P., Scarfò F., Brembilla G., Esposito A., Morelli M., Lazarevic D., DeCobelli F., Doglioni C., Tonon G., Gandaglia G., Montorsi F., Briganti A.

- P327 - Validation of the EAU risk groups for radical prostatectomy prostate cancer patients who experienced biochemical recurrence restaged with PSMA PET imaging and development of a novel tool.
Longoni M., Barletta F.M., Gandaglia G., Mazzone E., Stabile A., Robesti D., Quarta L., **Bandini M.**, Cucchiara V., Pellegrino F., Scuderi S., Cirulli G.O., Scilipoti P., Bianchi M., Samanes Gajate A.M., Picchio M., Chiti A., Karakiewicz P.I., Montorsi F., Briganti A.

**96° Congresso Nazionale SIU. ROMA. place Convention Center La Nuvola. event 7 - 9
ottobre 2023**

- Biology and performance of pre- and post-pembrolizumab vesical imaging-reporting and data system (vi-rads) to predict the pathological response and outcome in muscle-invasive urothelial bladder cancer G. Basile, E. Gibb, D. Raggi, G. Calareso, T. Costa De Padua, D. Patane, E. Crupi, C. Mercinelli, A. Del Prete, P. Giannatempo, **M. Bandini**, G. Gandaglia, A. Messina, J.S. Ross, D.C. Pavlick, F. De Cobelli, M. Moschini, A. Briganti, G. Brembilla, F. Montorsi, A. Necchi.

- Does prostate cancer family history have an impact on active surveillance adherence in men with low- or favourable intermediate risk disease? R. Leni, A. Stabile, G. Gandaglia, E. Mazzone, V. Cucchiara, **M. Bandini**, A. Pellegrino, M. De Angelis, L. Quarta, P. Zaurito, D. Robesti, N. Fossati, G. Brembilla, E. Zaffuto, F. Dehò, F. De Cobelli, F. Montorsi, A. Briganti.

- New size cut-off proposed by eau renal cancer working group better identifies patients who can benefit from local tumor ablation. P. Piazza, L. Bianchi, S. Luzzago, **M. Bandini**, A. Mottaran, S. Amirhassankhani, B. De Concilio, A. Celia, C. Serra, A. Cappelli, R. Golfieri, G. Musi, A. Gallina, M. Rizzo, G. Liguori, C. Trombetta, F. De Cobelli, G. Mauri, F. Orsi, U. Capitanio, R. Schiavina, O. De Cobelli, F. Montorsi, E. Brunocilla.

- Proposal and internal validation of a nomogram for the prediction of local recurrence-free survival after percutaneous ablation for ct1 renal masses A. Mottaran, L. Nocera, L. Bianchi, S. Luzzago, **M. Bandini**, P. Piazza, A. Celia, C. Serra, A. Cappelli, A. De Cinque, F. Modestino, R. Golfieri, G. Musi, A. Gallina, F. De Cobelli, G. Mauri, F. Orsi, U. Capitanio, R. Schiavina, O. De Cobelli, F. Montorsi, E. Brunocilla.

- Perioperative and long-term oncological outcomes after local tumor ablation for complex (padua score ≥ 10) ct1a renal tumors: a multicenter analysis P. Piazza, L. Bianchi, S. Luzzago, **M. Bandini**, A. Mottaran, S. Amirhassankhani, B. De Concilio, A. Celia, C. Serra, A. Cappelli, R. Golfieri, G. Musi, A. Gallina, M. Rizzo, G. Liguori, C. Trombetta, F. De Cobelli, G. Mauri, F. Orsi, U. Capitanio, R. Schiavina, O. De Cobelli, F. Montorsi, E. Brunocilla.

- The association between psa density and the detection of clinically significant prostate cancer across all pirads scores in men with positive mpMRI. when psa density can help avoiding prostate biopsy?

F. Barletta, F. Pellegrino, G. Gandaglia, A. Stabile, V. Cucchiara, **M. Bandini**, E. Mazzone, G. Rosiello, G. Sorce, A. Pellegrino, M. Longoni, P. Scilipoti, L. Quarta, P. Zaurito, N. Fossati, E. Zaffuto, F. Dehò, F. De Cobelli, G. Brembilla, F. Montorsi, A. Briganti.

- Chemotherapy vs immunotherapy as neoadjuvant therapies in cisplatin- eligible patients undergoing radical cystectomy for muscle invasive bladder cancer L. Nocera, R. Li, S. Naidu, **M. Bandini**, M. Moschini, K. Rose, F. Montorsi, P. Spiess, A. Necchi.

- A novel model integrating clinical, mp-mri, and epigenomic features to predict lymph node invasion in prostate cancer patients undergoing radical prostatectomy and pelvic lymph node dissection **M. Bandini**, R. Lucianò, F. Giannese, G.M. Scotti, C. Oneto, F. Barletta, G.O. Cirulli, V. Cucchiara, A. Stabile, E. Mazzone, G. Sorce, N. Tenace, F. Scarfò, G. Brembilla, A. Esposito, M. Morelli, D. Lazarevic, F. De Cobelli, C. Doglioni, G. Tonon, G. Gandaglia, F. Montorsi, A. Briganti

Annual Congress of the American Urological Association (AUA), Chicago, April 28 – May 1 2023

- MP11-08 Exploring the effect of metastasis directed therapy on progression patterns of patients with positive 68ga-psma pet/ct and biochemical recurrence from prostate cancer Antony Pellegrino,* Elio Mazzone, Giorgio Gandaglia, Andrea Necchi, Daniele Raggi, Laura Marandino, Armando Stabile, Vito Cucchiara, **Marco Bandini**, Giuseppe Rosiello, Gabriele Sorce, Francesco Pellegrino, Simone Scuderi, Daniele Robesti, Mario de Angelis, Mattia Longoni, Pietro Scilipoti, Francesco Montorsi, Alberto Briganti.

- PD10-09 A novel model integrating clinical, mp-mri, and epigenomic features to predict lymph node invasion in prostate cancer patients undergoing radical prostatectomy and pelvic lymph node dissection **Marco Bandini**,* Roberta Lucianò, Francesca Giannese, Giulia Maria Scotti, Caterina Oneto, Francesco Barletta, Giuseppe Ottone Cirulli, Vito Cucchiara, Armando Stabile, Elio Mazzone, Gabriele Sorce, Nazario Tenace, Federico Scarfò, Giorgio Brembilla, Antonio Esposito, Marco Morelli, Dejan Lazarevic, Francesco De Cobelli, Claudio Doglioni, Giovanni Tonon, Giorgio Gandaglia, Francesco Montorsi, Alberto Briganti.

-MP56-09 Neoadjuvant pembrolizumab shows promise as effective systemic therapy prior to radical cystectomy for cisplatin-ineligible muscle invasive bladder cancer Kyle Rose,* **Marco Bandini**, Heather Huelster, Giuseppe Basile, Shreyas Naidu, Philippe Spiess, Andrea Necchi, Roger Li.

-MP58-04 Proposal and internal validation of a nomogram for the prediction of local recurrence free-survival after percutaneous ablation for ct1 renal masses Angelo Mottaran,* Luigi Nocera, Lorenzo Bianchi, Stefano Luzzago, **Marco Bandini**, Pietro Piazza, Antonio Celia, Carla Serra, Francesco Modestino, Antonio De Cinque, Rita Golfieri, Gennaro Musi, Andrea Gallina, Francesco De Cobelli, Giovanni Mauri, Franco Orsi, Umberto Capitanio, Riccardo Schiavina, Ottavio De Cobelli, Francesco Montorsi, Eugenio Brunocilla.

-PD39-10 The association between psa density and the detection of clinically significant prostate cancer across all pirads scores in men with positive mpMRI. When psa density can help avoiding prostate biopsy? Francesco Pellegrino,* Giorgio Gandaglia, Armando Stabile, Vito Cucchiara, **Marco Bandini**, Elio Mazzone, Giuseppe Rosiello, Gabriele Sorce, Antony Pellegrino, Mattia Longoni, Pietro Scilipoti, Leonardo Quarta, Paolo Zaurito, Nicola Fossati, Emanuele Zaffuto, Federico Dehò, Francesco De Cobelli, Giorgio Brembilla, Francesco Montorsi, Alberto Briganti.

-MP38-03 Does prostate cancer family history have an impact on active surveillance adherence in men with low- or favourable intermediate risk disease? Riccardo Leni,* Armando Stabile, Giorgio Gandaglia, Vito Cucchiara, **Marco Bandini**, Elio Mazzone, Leonardo Quarta, Paolo Zaurito, Francesco De Cobelli, Giorgio Brembilla, Nicola Fossati, Emanuele Zaffuto, Marco Moschini, Giulio Avesani, Federico Dehò, Francesco Montorsi, Alberto Briganti.

-MP58-05 The impact of histology and type of energy used on oncological outcomes after local tumor ablation of small renal masses Pietro Piazza,* Lorenzo Bianchi, Stefano Luzzago, **Marco Bandini**, Angelo Mottaran, Sasan Amirhassankhani, Stefano Puliatti, Bernardino De Concilio, Antonio Celia, Carla Serra, Alberta Cappelli, Francesco Modestino, Antonio De Cinque, Rita Golfieri, Gennaro Musi, Andrea Gallina, Francesco De Cobelli, Giovanni Mauri, Franco Orsi, Umberto Capitanio, Riccardo Schiavina, Ottavio De Cobelli, Francesco Montorsi, Eugenio Brunocilla.

- PD44-06 Chemotherapy vs immunotherapy as neoadjuvant therapies in cisplatineligible patients undergoing radical cystectomy for muscle invasive bladder cancer Luigi Nocera,* **Marco Bandini**,

Giuseppe Basile, Marco Moschini, Shreyas Naidu, Kyle Rose, Roger Li, Philippe Spiess, Andrea Necchi.

**38th Annual Congress of the European Association of Urology (EAU), EAU23 Milan – 10-13
March 2023**

- A novel model Integrating clinical, mp-MRI, and epigenomic features to predict lymph node invasion in prostate cancer patients undergoing radical prostatectomy and pelvic lymph node dissection. **Bandini M.**, Lucianò R., Giannese F., Scotti G.M., Oneto C., Barletta F., Cirulli G.O., Cucchiara V., Stabile A., Mazzone E., Sorce G., Tenace N., Scarfò F., Brembilla G., Esposito A., Morelli M., Lazarevic D., De Cobelli F., Doglioni C., Gandaglia G., Tonon G., Montorsi F., Briganti A.

- The optimal management after ventral onlay buccal mucosa graft urethroplasty failure. Basile G., Massimo L., Montorsi F., Valli B., Balò S., Barbagli G., **Bandini M.**

- Utility of pre- and post-pembrolizumab (Pembro) Vesical Imaging–Reporting and Data System (VI-RADS) to predict the pathological response in muscle-invasive urothelial bladder cancer (MIBC): An analysis of the PURE-01 cohort. Necchi A., Basile G., **Bandini M.**, Raggi D., Marandino L., Costa De Padua T., Patanè D., Crupi E., Del Prete A., Colombo R., Colecchia M., Luciano R., Moschini M., Ross J., Gibb E., Briganti A., Montorsi F., De Cobelli F., Brembilla G.

- Does prostate cancer family history have an impact on active surveillance adherence in men with low- or favourable intermediate risk disease? Leni R., Stabile A., Gandaglia G., Mazzone E., Cucchiara V., **Bandini M.**, Pellegrino A., De Angelis M., Quarta L., Zaurito P., Robesti D., Fossati N., Brembilla G., Zaffuto E., Dehò F., De Cobelli F., Montorsi F., Briganti A.

-New size cut-off proposed by EAU Renal Cancer Working group better identifies patients who can benefit from local tumor ablation. Piazza P., Bianchi L., Luzzago S., **Bandini M.**, Mottaran A., Amirhassankhani S., Bernardino D.C., Celia A., Serra C., Cappelli A., Golfieri R., Musi G., Gallina A., Liguori G., Trombetta C., De Cobelli F., Mauri G., Orsi F., Capitanio U., Schiavina R., De Cobelli O., Montorsi F., Brunocilla E.

- Chemotherapy vs. immunotherapy as neoadjuvant therapies in cisplatin-eligible patients undergoing radical cystectomy for muscle invasive bladder cancer Nocera L., **Bandini M.**, Basile G., Moschini M., Naidu S.U., Rose K.M., Li R., Spiess P., Necchi A.

**37th Annual Congress of the European Association of Urology (EAU), EAU22 Amsterdam –
1-4 July 2022**

- Oncologic surveillance for variant histology upper tract urothelial carcinoma. Martini A., De Angelis M., Lonati C., Fallara G., Nocera L., Basile G., Leni R., Rosiello G., Scuderi S., **Bandini M.**, Gandaglia G., Motttrie A., Gallina A., Montorsi F., Briganti A., Shahrokh S., Moschini M.

- Radical cystectomy for bladder cancer in patients previously treated for prostate cancer: Perioperative and oncological outcomes. Tappero S., Parodi S., Mantica G., Borghesi M., Fiori C., Manfredi M., **Bandini M.**, Mari A., Valastro F., Cerruto M.A., Gozzo A., Chessa F., Schiavina R., Briganti A., Minervini A., Antonelli A., Porpiglia F., Brunocilla E., Montorsi F., Suardi N.R., Terrone C.

- A more extended pelvic lymph node dissection decreases recurrence rates in selected prostate cancer patients undergoing radical prostatectomy. Gandaglia G., Rosiello G., Pellegrino F., Pellegrino A., **Bandini M.**, Salonia A., Tutolo M., De Angelis M., Sorce G., Stabile A., Mazzone E., Cucchiara V., Zaffuto E., Mirone V., Karakiewicz P., Shariat S., Montorsi F., Briganti A.

- The most common location for stricture after transurethral prostate surgery (TPS) is the bulbomembranous urethra: False! **Bandini M.**, Yepes C., Joshi P., Naranjo D., Bhadranavar S., Montorsi F., Salonia A., Briganti A., Barbagli G., Kulkarni S.

- Is supracrural rerouting (Step 4) becoming anecdotal in the management of pelvic fracture urethral injury? Yepes CYH, **Bandini M.**, Joshi P., Bhadranavar S., Kulkarni S.B.

- Back to the future: Is the use of fasciocutaneous penile flap increasing in contemporary years for reconstructing the anterior urethra? **Bandini M.**, Yepes C., Joshi P., Salonia A., Barbagli G., Kulkarni S.

- New surgical technique: A single long spiral preputial graft for panurethral stricture. Joshi P., **Bandini M.**, Bhadranavar S., Bafna S., Sharma V., Kulkarni S.

**Annual Congress of the American Urological Association (AUA), New Orleans, 13-16th May
2022**

- V04-04 NEW SURGICAL TECHNIQUE: A SINGLE LONG SPIRAL PREPUTIAL GRAFT FOR PANURETHRAL STRICTURE Pankaj Joshi*, **Marco Bandini**, Shreyas Bhadrnawar, Vipin Sharma, Sandeep Bafna, Sanjay Kulkarni, Pune, India.

- V04-05 POST TURP OBLITERATIVE STRICTURES Pankaj Joshi*, Vipin Sharma, Sandeep Bafna, Shreyas Bhadrnawar, **Marco Bandini**, Sanjay Kulkarni, Pune, India.

- V04-12 A SINGLE STAGE URETHROPLASTY FOR PRIMARY PENOSCROTAL ADULT HYPOSPADIAS Pankaj Joshi*, Vipin Sharma, Sandeep Bafna, Shreyas Bhadrnawar, **Marco Bandini**, Sanjay Kulkarni, Pune, India.

- MP23-15 IMPACT OF PREVIOUS TREATMENTS FOR PROSTATE CANCER ON PERIOPERATIVE AND ONCOLOGICAL OUTCOMES IN PATIENTS TREATED WITH RADICAL CYSTECTOMY FOR BLADDER CANCER Stefano Tappero*, Stefano Parodi, Guglielmo Mantica, Marco Borghesi, Genoa, Italy, Cristian Fiori, Matteo Manfredi, Turin, Italy, **Marco Bandini**, Milan, Italy, Andrea Mari, Francesca Valastro, Florence, Italy, Maria Angela Cerruto, Alessandra Gozzo, Verona, Italy, Francesco Chessa, Riccardo Schiavina, Bologna, Italy, Alberto Briganti, Milan, Italy, Andrea Minervini, Florence, Italy, Alessandro Antonelli, Verona, Italy, Francesco Porpiglia, Turin, Italy, Eugenio Brunocilla, Bologna, Italy, Francesco Montorsi, Milan, Italy, Nazareno Suardi, Carlo Terrone, Genoa, Italy.

- MP27-03 DELAYING POST-OPERATIVE RADIATION THERAPY AFTER RADICAL PROSTATECTOMY IS ASSOCIATED WITH INCREASED FUNCTIONAL OUTCOMES: RESULTS FROM A LARGE SINGLE, REFERRAL CENTER SERIES Mario de Angelis*, Elio Mazzone, Milano, Italy, Giorgio Gandaglia, Armando Stabile, Milan, Italy, Simone Scuderi, Francesco Barletta, Daniele Robesti, Milano, Italy, Luigi Nocera, Milan, Italy, Riccardo Leni, Milano, Italy, Vito Cucchiara, Milan, Italy, **Marco Bandini**, Milano, Italy, Emanuele Zaffuto, Milan, Italy, Nazareno Suardi, Genoa, Italy, Andrea Necchi, Milano, Italy, Shahrokh F. Shariat, Vienna, Austria, Francesco Montorsi, Alberto Briganti, Milano, Italy.

- MP22-20 IS SUPRACRURAL REROUTING (STEP 4 ANASTOMOTIC URETHROPLASTY) BECOMING ANECDOTAL IN THE MANAGEMENT OF PELVIC FRACTURE

URETHRAL INJURY? Christian Yepes*, **Marco Bandini**, Pankaj Joshi, Shreyas Bhadravar, Sandeep Bafna, Sanjay B Kulkarni, Pune, India.

- PD51-11 CONCOMITANT VS STAGED LYMPHADENECTOMY IN CLINICALLY NODE-POSITIVE PENILE SQUAMOUS CELL CARCINOMA: RECURRENCE PATTERNS AND

SURVIVAL OUTCOMES Heather Huelster*, Tampa, FL, **Marco Bandini**, Milan, Italy, Oscar Brouwer, Amsterdam, Netherlands, Maarten Albersen, Eduard Roussel, Leuven, Belgium, Hielke de Vries, Amsterdam, Netherlands, Juan Chipollini, Mounisif Azizi, Tampa, FL, Yao Zhu, Ding-Wei Ye, Shanghai, China, People's Republic of, Antonio Ornellas, Rio de Janeiro, Brazil, Mario Catanzaro, Laura Marandino, Milan, Italy, Oliver Hakenberg, Rostock, Germany, Axel Heidenreich, Friederike Haidl, Köln, Germany, Nick Watkin, Michael Ager, London, United Kingdom, Mohamed Ahmed, Jeffrey Karnes, Rochester, MN, Alberto Briganti, Roberto Salvioni, Francesco Montorsi, Andrea Necchi, Milan, Italy, Philippe Spiess, Tampa, FL.

- PD60-10 A MORE EXTENDED PELVIC LYMPH NODE DISSECTION DECREASES RECURRENCE RATES IN SELECTED PROSTATE CANCER PATIENTS UNDERGOING

RADICAL PROSTATECTOMY Giorgio Gandaglia*, Giuseppe Rosiello, Milano, Italy, Francesco Pellegrino, Milan, Italy, Antony Pellegrino, **Marco Bandini**, Andrea Salonia, Manuela Tutolo, Mario De angelis, Milano, Italy, Gabriele Sorce, Elio Mazzone, Armando Stabile, Vito Cucchiara, Emanuele Zaffuto, Milan, Italy, Pierre I. Karakiewicz, Montreal, Canada, Shahrokh F. Shariat, Vienna, Austria, Vincenzo Mirone, Napoli, Italy, Francesco Montorsi, Alberto Briganti, Milano, Italy

**41st Congress of the Société Internationale d'Urologie (SIU), Dubai, 10-14th Nov, 2021—
Hybrid meeting**

- Combining Preputial Flap with Buccal Mucosa Graft (BMG) for Rescue Urethroplasty in Long Segments of Urethral Loss. P. Joshi, **M. Bandini**, A. Patil, S. Bafna, V. Sharma, S. Yatam, S. Bhadravar, G. Barbagli, F. Montorsi, S. Kulkarni

- Penile Colour Doppler in Pelvic Fracture Urethral Injury. S. Bhadranavar, P. Joshi, A. Patil, **M. Bandini**, S. Bafna, V. Sharma, S. Kulkarni, S. Yatam.
- Double-Face Urethroplasty (DFU) for Near-Obliterative (≤ 3 ch) Bulbar Urethral Stricture (NOBUS): Ventral or Dorsal Approach? **M. Bandini**, P. Joshi, C. Ballesteros, M. Hevia, S. Yatam, S. Bafna, V. Sharma, S. Bhadranavar, A. Patil, G. Barbagli, F. Montorsi, S. Kulkarni.
- Partial Mobilization of the Neurovascular Bundle (NVB) for Ventral Penile Curvature Correction: A Proof-of-Concept Study. P. Joshi, **M. Bandini**, M. Hevia, G. Barbagli, F. Montorsi, S. Kulkarni.
- Urethroplasty and Interposition of Buccal Graft Is the Treatment of Choice for Penile Urethral Hemangioma. V. Sharma, P. Joshi, S. Bhadranavar, A. Patil, S. Ranga, S. Bafna, **M. Bandini**, S. Kulkarni.
- Laparoscopic Assisted Radical Urethrectomy and Vulvectomy with Appendicovesicostomy. S. Bafna, S. Kulkarni, J. Kulkarni, P. Joshi, J. Pathak, S. Bhadravar, V. Sharma, **M. Bandini**, A. Patil

**Annual Congress of the American Urological Association (AUA), Las Vegas, 10-13th Sep
2021—Hybrid meeting**

- MP22-19 Assessing the value of a novel mri protocol in patients undergoing posterior urethroplasty for pelvic fracture urethral distraction defect (PFUDD). Pankaj M. Joshi, **Bandini Marco**, Shreyas Bhadranavar, Amey Patil, Vipin Sharma, Yatam L. Shreeranga, Guido Barbagli, Francesco Montorsi, and Sanjay B. Kulkarni.
- MP03-11 The effect of postoperative tadalafil in redo-urethroplasty for patients with pelvic fracture urethral injury: a non-randomized two arms trial. Pankaj M. Joshi, **Marco Bandini**, Amey Patil, Shreyas Bhadranavar, Yatam L. Shreeranga, Vipin Sharma, Guido Barbagli, Francesco Montorsi, and Sanjay B. Kulkarni.
- V10-09 Managing female pelvic fracture urethral distraction defect (pfudd): contemporary management and treatment options. Pankaj M. Joshi, **Marco Bandini**, Shreyas Bhadranavar, Amey

Patil, Vipin Sharma, Yatam L. Shreeranga, Guido Barbagli, Francesco Montorsi, and Sanjay B. Kulkarni.

- MP04-15 Partial mobilization of the neurovascular bundle (nvb) for ventral penile curvature correction: a proof of concept study. Pankaj M. Joshi, **Marco Bandini**, Amey Patil, Shreyas Bhadranavar, Vipin Sharma, Yatam Lakshmi Sreeranga, Guido Barbagli, Francesco Montorsi, and Sanjay B. Kulkarni.

- PD42-05 Fecal microbiota profiling of patients treated with neoadjuvant pembrolizumab for muscle invasive urothelial carcinoma. Filippo Pederzoli, Irene Locatelli, Michela Riba, **Marco Bandini**, Daniele Raggi, Laura Marandino, Elisa Alchera, Patrizia Giannatempo, Paolo Provero, Dejan Lazarevic, Roberta Lucianò, Andrea Gallina, Alberto Briganti, Francesco Montorsi, Andrea Salonia, Andrea Necchi, and Massimo Alfano.

- MP14-05 Adjuvant vegf-tki inhibitors after surgery improves progression free survival (but not survival) in high-risk rcc patients. Giuseppe Fallara, **Marco Bandini**, Alessandro Larcher, Giuseppe Rosiello, Alberto Martini, Giuseppe Basile, Gianmarco Colandrea, Daniele Cignoli, Pierre Karakiewicz, Zhe Tian, Federico Pederzoli, Andrea Necchi, Andrea Salonia, Alberto Briganti, Roberto Bertini, Francesco Montorsi, Axel Bex, and Umberto Capitano.

- PD53-10 Predicting limited survival for patients with penile cancer undergoing inguinal lymph node dissection. Lee Hugar, Nicholas Chakiryan, Mahrukh Naqvi, Youngchul Kim, **Marco Bandini**, Filippo Pederzoli, Laura Marandino, Maarten Albersen, Eduard Roussel, Juan Chipollini, Yao Zhu, Ding-Wei Ye, Antonio Ornellas, Mario Catanzaro, Oliver Hakenberg, Axel Heidenreich, Friederike Haidl, Nick Watkin, Michael Ager, Mohamed Ahmed, Jeffrey Karnes, Alberto Briganti, Roberto Salvioni, Francesco Montorsi, Andrea Necchi, and Philippe Spiess.

**36th Annual Congress of the European Association of Urology (EAU), EAU21 Virtual – 8-12
July 2021**

- P1030: Development of novel criteria to identify the optimal candidates for active surveillance among men with low-risk prostate cancer and a positive family history. Results from a large, single institution series. Leni R., Gandaglia G., Nocera L., Stabile A., Fossati

N., **Bandini M.**, Toneatto L., Basile G., Martini A., Pellegrino F., Mazzone E., Rosiello G., De Cobelli F., Montorsi F., Briganti A.

- P0404: Assessing in-hospital morbidity after urethroplasty using the EAU quality criteria for standardized reporting. **Bandini M.**, Barbagli G., Joshi P.M., Leni R., Cirulli G.O., Basile G., Balò S., Montorsi F., Sansalone S., Salonia A., Briganti A., Butnaru D., Kulkarni S.B., Lezzeri M.
- P0409: Impact of perioperative complications on length of hospitalizations, readmission rate and treatment failure after urethroplasty. **Bandini M.**, Barbagli G., Joshi P.M., Leni R., Cirulli G.O., Basile G., Balò S., Montorsi F., Sansalone S., Salonia A., Briganti A., Butnaru D., Kulkarni S.B., Lazzeri M.
- P1130: Ventral corporoplasty in hypospadias with severe curvature - tunical attenuation by multiple transversal corporotomies. Spiridonescu B., Spiridonescu O., Slavković M., Radovanović M., Sekulović S., **Bandini M.**, Djinović R.
- P1132: Assessing the value of a novel MRI protocol in patients undergoing posterior urethroplasty for Pelvic Fracture Urethral Distraction Defect (PFUDD). Joshi P.M., **Bandini M.**, Patil A., Bhadranavar S., Yatam S.L., Sharma V., Barbagli G., Montorsi F., Kulkarni S.B.
- P0452: Molecular characterization of residual bladder cancer after pembrolizumab. Necchi A., De Jong J.J., Raggi D., Briganti A., Marandino L., Gallina A., **Bandini M.**, Dabbas B., Davicioni E., Capitanio U., Montorsi F., Seiler R., Wright J.L., Lotan Y., Black P.C., Gibb E.A.

**2021 American Society of Clinical Oncology (ASCO) Genitourinary symposium, Thursday,
February 11 – Saturday, February 13; San Francisco, California**

- Concomitant antibiotics (ATBs) use and survival outcomes in patients (pts) with muscle-invasive bladder cancer (MIBC) treated with neoadjuvant pembrolizumab (PURE-01 study). Daniele Raggi, **Marco Bandini**, Filippo Pederzoli, Patrizia Giannatempo, Laura

Marandino, Giuseppe Basile, Andrea Gallina, Alberto Briganti, Francesco Montorsi, Andrea Necchi.

- Comprehensive genomic profiling (CGP) to reveal new opportunities and challenges in muscle invasive bladder cancer (MIBC). Laura Marandino, Russell Madison, Daniele Raggi, Filippo Pederzoli, **Marco Bandini**, Patrizia Giannatempo, Alberto Briganti, Francesco Montorsi, Jeffrey S. Ross, Andrea Necchi.
- SURE: An open label, sequential-arm, phase II study of neoadjuvant sacituzumab govitecan (SG), and SG plus pembrolizumab (pembro) before radical cystectomy, for patients with muscle invasive bladder cancer (MIBC) who cannot receive or refuse cisplatin-based chemotherapy. Andrea Necchi, Daniele Raggi, **Marco Bandini**, Andrea Gallina, Umberto Capitanio, Giorgio Gandaglia, Vito Cucchiara, Nicola Fossati, Francesco De Cobelli, Andrea Salonia, Gromek Smolen, Sohail Balasubramanian, Ewan Gibb, Jeffrey S. Ross, Russell Madison, Alberto Briganti, Stefano Cascinu, Francesco Montorsi

**Annual congress of the European Society for Medical Oncology (ESMO) Science weekend:
19-21 September 2020; Education weekend: 16-18 October 2020**

- 756P - Molecular subtyping and immune-gene signatures identify a subset of clinical T1 high-grade (cT1 HG) and cT2 bladder urothelial carcinoma (UC) as candidates for single-agent immune checkpoint inhibition (ICI). A. Necchi, D. Raggi, A. Gallina, **M. Bandini**, P. Giannatempo, L. Marandino, M. Colecchia, A. Briganti, F. Montorsi, E. Davicioni, Y. Lotan, E. Gibb.
- 762P - Molecular profiling of post-pembrolizumab muscle-invasive bladder cancer (MIBC) reveals unique features that may inspire new sequential therapies in pathologically-nonresponders. A. Necchi, J. de Jong, D. Raggi, A. Gallina, **M. Bandini**, P. Giannatempo, L. Marandino, M. Colecchia, A. Briganti, F. Montorsi, E. Davicioni, R. Seiler, P. Black, E. Gibb.
- 706MO - Association between human papillomavirus (HPV) infection and outcome of perioperative nodal radiotherapy for penile carcinoma. A. Necchi, **M. Bandini**, J.S. Ross, Y.

Zhu, Y. Ding-Wei, A. Ornellas, N. Watkin, B. Ayres, O. Hakenberg, A. Heidenreich, D. Raggi, P. Giannatempo, L. Marandino, J. Chipollini, M. Azizi, O. Brouwer, D. Grass, P. Johnstone, M. Albersen, P. Spiess.

**93° Congresso Nazionale SIU IBRIDO. ROMA. place Auditorium del Massimo. event 17 - 18
ottobre 2020**

- Pathological features and predictors of oncologic outcomes in patients with small renal masses. R. Bertini, G. Rosiello, F. Muttin, G. Baiamonte, C. Re, S. Agnesi, C. Bravi, **M. Bandini**, G. Basile, D. Cignoli, A. Briganti, A. Salonia, F. Montorsi, U. Capitanio, A. Larcher (Milano).
- Is whenever feasible-strategy for partial nephrectomy invariably justified? the impact of clinical tumour size on postoperative renal function. G. Fallara, A. Larcher, G. Rosiello, G. Basile, D. Cignoli, G. Colandrea, A. Martini, W. Cazzaniga, C.A. Bravi, **M. Bandini**, G. Baiamonte, A. Briganti, A. Salonia, R. Bertini, F. Montorsi, U. Capitanio (Milano).
- How can we increase the positive predictive value of pirads 4 and 5 lesions at mp-mri? development of a novel prediction tool relying on a large, multi-institutional series. F. Barletta, A. Stabile, R.J. Karnes, G. Motterle, N. Fossati, G. Gandaglia, F. Pellegrino, S. Scuderi, L. Nocera, E. Zaffuto, F. Scalvi, A. Rizzo, D. Cannoletta, A. Gallina, M. Menan, A. Pellegrino, E. Mazzone, **M. Bandini**, C.A. Bravi, V. Cucchiara, G. Brambilla, A. Esposito, F. Montorsi, F. De Cobelli, A. Briganti (Milano).
- The relative drop of psa values after androgen deprivation therapy is a useful parameter to select the best candidate for cytoreductive radical prostatectomy among patients with oligometastatic prostate cancer: an external validation study. E. Mazzone, A. Heidenreich, G. Gandaglia, D. Pfister, S. Shariat, B. Grubmuller, N. Fossati, A. Stabile, S. Scuderi, F. Pellegrino, G. Sorce, G. Fallara, G. Rosiello, A. Martini, **M. Bandini**, V. Cucchiara, E. Zito, A. Pellegrino, P.I. Karakiewicz, M. Moschini, R.J. Karnes, F. Montorsi, A. Briganti (Milano).

- Impact of histological variants in node positive patients treated with radical cystectomy for bladder cancer. **M. Bandini**, E. Zaffuto, S. Scuderi, G. Basile, A. Salonia, R. Lucianò, F. Pederzoli, S. Zamboni, L. Afferi, B. Giusy, M. Moschini, F. Dehò, R. Bertini, A. Briganti, F. Montorsi, R. Colombo, A. Necchi, A. Gallina (Milano).
- No-response at mpMRI after neoadjuvant pembrolizumab is a proxy of adverse pathological and oncological outcomes in patients treated with radical cystectomy: interim results from the pure01 study. G. Basile, **M. Bandini**, E. Zaffuto, S. Scuderi, F. Pederzoli, L. Marandino, D. Raggi, F. Barletta, G. Gandaglia, N. Fossati, G. Burgio, M. Moschini, S. Zamboni, L. Afferi, S. Comana, A. Briganti, F. Montorsi, R. Colombo, A. Necchi, A. Gallina (Milano).
- Incongruence between TURB and radical cystectomy findings in terms of histological variant identification: analysis of all potential clinical risk factors. A. Gallina, E. Zaffuto, S. Scuderi, G. Basile, A. Salonia, R. Lucianò, F. Pederzoli, G. Burgio, M. Moschini, V. Scattoni, F. Dehò, A. Briganti, F. Montorsi, R. Colombo, A. Necchi, **M. Bandini** (Milano).
- Limited vs extended lymph node dissection in T1G3 bladder cancer patients treated with radical cystectomy: is this group responsible for the negative results of the LEA trial? G. Basile, **M. Bandini**, E. Zaffuto, S. Scuderi, F. Dehò, A. Salonia, R. Matloob, G. Burgio, L. Sciacqua, R. Bertini, S. Comana, M. Moschini, S. Zamboni, L. Afferi, V. Scattoni, R. Colombo, A. Briganti, F. Montorsi, A. Necchi, A. Gallina (Milano).
- Focal therapy for prostate cancer: do apical lesions correlate with worse outcomes? A. Stabile, G. Gandaglia, N. Fossati, S. Scuderi, F. Barletta, L. Nocera, R. Leni, D. Robesti, E. Mazzone, G. Rosiello, **M. Bandini**, C.A. Bravi, N. Suardi, M. Moschini, P.I. Karakiewicz, P. Macek, N. Cathala, X. Cathelineau, A. Briganti, F. Montorsi, R. Sanchez Salas (Milano).
- Changing patterns and predictors of salvage radiation therapy use over time in patients treated for post-prostatectomy biochemical recurrence: a trend analysis over a 20-year period from a multi-institutional series. G. Rosiello, N. Fossati, R.J. Karnes, S.A. Boorjian, G. Motterle, A. Bossi, T. Kumar, N. Di Muzio, C. Cozzarini, B. Noris Chiorda, **M. Bandini**, E. Mazzone, G. Gandaglia, P.I. Karakiewicz, D. Bartkowiak, S. Shariat, G. Goldner, G. Devos, S. Joniau, C. Berghen, G. De Meerleer, H. Van Poppel, F. Montorsi, T. Wiegel, A. Briganti (Milano).

- Prognostic value of high PIRADS score lesions at mp-MRI of the prostate in men with low risk prostate cancer managed with active surveillance. results from a single institution series. G. Sorce, **M. Bandini**, L. Nocera, A. Stabile, G. Gandaglia, N. Fossati, M. Tutolo, F. Barletta, G.O. Cirulli, F. Pellegrino, G. Rosiello, E. Mazzone, C.A. Bravi, A. Martini, V. Cucchiara, D. Cannoletta, L. Sciacqua, S. Comana, G. Stabile, N. Suardi, M. Moschini, M. Droghetti, N. Longo, A. Mottrie, F. Montorsi, A. Briganti (Milano).

**35th Annual Congress of the European Association of Urology (EAU), EAU20 Virtual – 17-19
July 2020**

- Development of a risk calculator of recurrence in inguinal lymph-node metastatic (ILNM) patients with surgically-resected penile squamous-cell carcinoma (PSCC) **M. Bandini**, Y. Zhu, D. Ye, A.A. Ornellas, N. Watkin, M. Ager, O.W. Hakenberg, A. Heidenreich, D. Raggi, M. Catanzaro, R. Haidl, L. Marandino, F. Pederzoli, A. Briganti, F. Montorsi, J. Chipollini, M. Azizi, M. Albersen, O.R. Brower, P.E. Spiess, A. Necchi.
- How can we increase the positive predictive value of PIRADS 4 and 5 lesions at mp-MRI? Development of a novel prediction tool relying on a large, multi-institutional series A. Stabile, R.J. Karnes, G. Motterle, N. Fossati, G. Gandaglia, F. Barletta, S. Scuderi, L. Nocera, E. Zaffuto, F. Scalvi, A. Rizzo, D. Cannoletta, A. Gallina, M. Menean, A. Pellegrino, E. Mazzone, **M. Bandini**, C.A. Bravi, V. Cucchiara, G. Brembilla, A. Esposito, F. Montorsi, F. De Cobelli, A. Briganti.
- When is mp-MRI reliable in predicting extra-prostatic extension in prostate cancer patients treated with radical prostatectomy? Results from a large, multi-institutional series G. Gandaglia, G. Ploussard, M. Valerio, A. Mattei, G. Marra, J-B. Beauval, B. Malavaud, M. Roumiguié, A. Marquis, L. Afferi, M. Moschini, N. Fossati, **M. Bandini**, V. Cucchiara, A. Stabile, C.A. Bravi, A. Rakauskas, R. Van Den Bergh, F. De Cobelli, C. Fiori, F. Porpiglia, P. Gontero, F. Montorsi, A. Briganti.

- No-response at mpMRI after neoadjuvant pembrolizumab is a proxy of adverse pathological and oncological outcomes in patients treated with radical cystectomy: Interim results from the PURE01 study **M. Bandini**, E. Zaffuto, S. Scuderi, F. Pederzoli, L. Marandino, D. Raggi, F. Barletta, G. Gandaglia, N. Fossati, G. Burgio, M. Moschini, S. Zamboni, L. Afferi, S. Comana, A. Briganti, F. Montorsi, R. Colombo, A. Necchi, A. Gallina.
- Incongruence between TURB and radical cystectomy findings in terms of histological variant identification: Analysis of all potential clinical risk factors **M. Bandini**, E. Zaffuto, S. Scuderi, A. Salonia, R. Lucianò, F. Pederzoli, G. Burgio, M. Moschini, V. Scattoni, F. Deho', A. Briganti, F. Montorsi, R. Colombo, A. Necchi, A. Gallina.
- Outcome of non-responders to neoadjuvant immunotherapy compared to cisplatin-based chemotherapy before radical cystectomy in muscle-invasive bladder cancer **M. Bandini**, E. Zaffuto, L. Marandino, S. Scuderi, F. Pederzoli, D. Raggi, A. Salonia, G. Gandaglia, S. Comana, F. Barletta, A. Pellegrino, G. Burgio, M. Moschini, N. Fossati, A. Briganti, F. Montorsi, R. Colombo, A. Necchi, A. Gallina.
- Impact of histological variants in node positive patients treated with radical cystectomy for bladder cancer **M. Bandini**, E. Zaffuto, S. Scuderi, A. Salonia, R. Lucianò, F. Pederzoli, S. Zamboni, L. Afferi, G. Burgio, M. Moschini, F. Deho', R. Bertini, A. Briganti, F. Montorsi, R. Colombo, A. Necchi, A. Gallina.
- Prognostic value of high PIRADS score lesions at mp-MRI of the prostate in men with low risk prostate cancer managed with active surveillance: Results from a single institution series **M. Bandini**, L. Nocera, A. Stabile, R. Leni, G. Gandaglia, N. Fossati, N. Suardi, V. Cucchiara, F. Barletta, D. Cannoletta, E. Camisassa, S. Comana, L. Sciacqua, M. Droghetti, G. Rosiello, E. Mazzone, M. Tutolo, C. Bravi, A. Mottrie, M. Moschini, V. Mirone, N. Longo, F. Montorsi, A. Briganti.
- Interim results of PEANUT: An open-label, single-arm, phase 2 study evaluating pembrolizumab plus nanoparticle albumin-bound paclitaxel (nab-paclitaxel) as salvage therapy for metastatic urothelial carcinoma (UC) A. Necchi, D. Raggi, **M. Bandini**, E. Farè, P. Giannatempo, M. Colecchia, F. Pederzoli, A. Gallina, L. Marandino, G. Calareso, R. Madison, A. Briganti, J. Ross, F. Montorsi.

- Regression-tree analysis for identifying the best candidates to neoadjuvant chemotherapy in patients with clinical node-positive penile squamous-cell carcinoma **M. Bandini**, Y. Zhu, D. Ye, A.A. Ornellas, N. Watkin, M. Ager, O.W. Hakenberg, A. Heidenreich, D. Raggi, M. Catanzaro, F. Haidl, E. Mazzone, F. Pederzoli, L. Marandino, A. Briganti, F. Montorsi, J. Chipollini, M. Azizi, M. Albersen, O.R. Brower, P.E. Spiess, A. Necchi.

American Association for Cancer Research (AACR) Annual Meeting 2020; April 27-28, 2020 and June 22-24, 2020; Philadelphia, PA.

- CT187: Pembrolizumab and nanoparticle albumin bound paclitaxel (nab-paclitaxel) as salvage therapy for metastatic urothelial carcinoma (UC). Patrizia Giannatempo, Daniele Raggi, Elena Farè, Laura Marandino, **Marco Bandini**, Maurizio Colecchia, Filippo Pederzoli, Giuseppina Calareso, Russell Madison, Francesco Monopoli, Giusy Russo, Roberto Ferrara, Filippo De Braud, Francesco Montorsi and Andrea Necchi.

Annual Congress of the American Urological Association (AUA), Washington, 15-19th May 2020—ONLINE meeting

- MP55-19 Impact of histological variants in node positive patients treated with radical cystectomy for bladder cancer **Marco Bandini***, Emanuele Zaffuto , Simone Scuderi , Andrea Salonia , Roberta Lucianò , Filippo Pederzoli , Stefania Zamboni , Luca Afferi , Burgio Giusy , Marco Moschini , Federico Deho' , Roberto Bertini , Alberto Briganti , Francesco Montorsi , Renzo Colombo , Andrea Necchi , and Andrea Gallina.
- MP55-20 Incongruence between turb and radical cystectomy findings in terms of histological variant identification: analysis of all potential clinical risk factors **Marco Bandini***, Emanuele Zaffuto , Simone Scuderi , Andrea Salonia , Roberta Lucianò , Filippo Pederzoli , Giusy Burgio , Marco Moschini , Vincenzo Scattoni , Federico Dehò , Alberto Briganti , Francesco Montorsi , Renzo Colombo , Andrea Necchi , and Andrea Gallina.

- MP11-08 Development of a risk calculator of recurrence in inguinal lymph-node metastatic (ilnm) patients with surgically-resected penile squamous-cell carcinoma (pscc) **Marco Bandini***, Yao Zhu , Ding-Wei Ye , Antonio A. Ornellas , Nick Watkin , Michael Ager , Oliver W. Hakenberg , Axel Heidenreich , Friederike Haidl , Daniele Raggi , Mario Catanzaro , Laura Marandino , Filippo Pederzoli , Alberto Briganti , Francesco Montorsi , Juan Chipollini , Mounsiif Azizi , Maarten Albersen , Oscar R. Brower , Philippe E. Spiess , and Andrea Necchi.

- MP11-09 Regression-tree analysis for identifying the best candidates to neoadjuvant chemotherapy in patients with clinical node-positive penile squamous-cell carcinoma **Marco Bandini***, Yao Zhu , Ding-Wei Ye , Antonio A. Ornellas , Nick Watkin , Michael Ager , Oliver W. Hakenberg , Axel Heidenreich , Friederike Haidl , Daniele Raggi , Mario Catanzaro , Laura Marandino , Elio Mazzone , Filippo Pederzoli , Alberto Briganti , Francesco Montorsi , Juan Chipollini , Mounsiif Azizi , Maarten Albersen , Oscar R. Brower , Philippe E. Spiess , and Andrea Necchi.

- MP55-04 No-response at mpmri after neoadjuvant pembrolizumab is a proxy of adverse pathological and oncological outcomes in patients treated with radical cystectomy: interim results from the pure01 study **Marco Bandini***, Emanuele Zaffuto , Simone Scuderi , Filippo Pederzoli , Laura Marandino , Daniele Raggi , Francesco Barletta , Giorgio Gandaglia , Nicola Fossati , Giusy Burgio , Marco Moschini , Stefania Zamboni , Luca Afferi , Sabrina Comana , Alberto Briganti , Francesco Montorsi , Renzo Colombo , Andrea Necchi , and Andrea Gallina.

- MP55-06 Outcome of non-responders to neoadjuvant immunotherapy compared to cisplatin-based chemotherapy before radical cystectomy in muscle-invasive bladder cancer **Marco Bandini***, Emanuele Zaffuto , Laura Marandino , Simone Scuderi , Filippo Pederzoli , Daniele Raggi , Andrea Salonia , Giorgio Gandaglia , Sabrina Comana , Francesco Barletta , Antony Pellegrino , Burgio Giusy , Marco Moschini , Nicola Fossati , Alberto Briganti , Francesco Montorsi , Renzo Colombo , Andrea Necchi , and Andrea Gallina.

- PD51-01 Interim results of peanut: an open-label, single-arm, phase 2 study evaluating pembrolizumab plus nanoparticle albumin-bound paclitaxel (nab-paclitaxel) as salvage therapy for metastatic urothelial carcinoma (uc) Andrea Necchi*, Daniele Raggi, **Marco**

Bandini , Elena Farè , Patrizia Giannatempo , Maurizio Colecchia , Filippo Pederzoli , Andrea Gallina , Laura Marandino , Giuseppina Calareso , Russell Madison , Alberto Briganti , Jeffrey Ross , and Francesco Montorsi.

- MP80-03 Prognostic differences and survival outcomes in patients with papillary renal cell carcinoma subtypes – a comparison between type i vs. type ii. Giuseppe Rosiello*, Fabio Muttin , Alessandro Nini , Gianfranco Baiamonte , Carlo Andrea Bravi , **Marco Bandini** , Alberto Martini , Villa Luca , Francesco Trevisani , Francesco Montorsi , Andrea Salonia , Alberto Briganti , Roberto Bertini , Alessandro Larcher , and Umberto Capitanio.

- MP21-02 The impact of intraoperative bleeding on the risk of chronic kidney disease after nephron-sparing surgery Giuseppe Rosiello*, Alessandro Larcher , Fabio Muttin , Daniela Canibus , Chiara Re , Gianfranco Baiamonte , Carlo Andrea Bravi , **Marco Bandini** , Alberto Martini , Andrea Necchi , Stefano Agnesi , Francesco Montorsi , Andrea Salonia , Roberto Bertini , and Umberto Capitanio.

- MP70-08 Focal therapy for prostate cancer: do apical lesions correlate with worse outcomes? Armando Stabile*, Nicola Fossati , Giorgio Gandaglia , Marco Moschini , Petr Macek , Natalie Cathala , Xavier Cathelineau , Simone Scuderi , Daniele Robesti , Elio Mazzone , Giuseppe Rosiello , **Marco Bandini** , Carlo Bravi , Nazareno Suardi , Pierre I Karakiewicz , Alberto Briganti , Francesco Montorsi , and Rafael Sanchez-Salas V.

- MP55-15 Should we consider all ajcc stage iiib bca equal? the impact of local t staging in n2 and n3 patients after radical cystectomy Emanuele Zaffuto* , **Marco Bandini** , Simone Scuderi , Marco Moschini , Giusy Burgio , Andrea Salonia , Giorgio Gandaglia , Nicola Fossati , Roberto Bertini , Vincenzo Scattoni , Federico Dehò , Alberto Briganti , Francesco Montorsi , Renzo Colombo , Andrea Necchi , and Andrea Gallina.

- PD57-02 When is mp-mri reliable in predicting extra-prostatic extension in prostate cancer patients treated with radical prostatectomy? results from a large, multi-institutional series Giorgio Gandaglia* , Guillaume Ploussard , Massimo Valerio , Agostino Mattei , Giancarlo Marra , Jean-Baptiste Beauval , Bernard Malavaud , Mathieu Roumigué , Alessandro Marquis , Luca Afferi , Marco Moschini , Arnas Rakauskas , Roderick Van den Bergh , Nicola Fossati , Carlo Bravi , Vito Cucchiara , Armando Stabile , **Marco Bandini** ,

Francesco De Cobelli , Cristian Fiori , Francesco Porpiglia , Paolo Gontero , Francesco Montorsi , and Alberto Briganti.

- MP37-17 Changing patterns and predictors of salvage radiation therapy use over time in patients treated for post-prostatectomy biochemical recurrence: a trend analysis over a 20-year period from a multi-institutional series Elio Mazzone* , Nicola Fossati , Jeffrey Karnes , Stephen A. Boorjian , Giovanni Motterle , Alberto Bossi , Tamizhanban Kumar , Nadia Di Muzio , Cesare Cozzarini , Barbara Noris Chiorda , Giorgio Gandaglia , Giuseppe Rosiello , **Marco Bandini** , Detlef Bartkowiak , Shahrokh Shariat , Gregor Goldner , Pierre I Karakiewicz , Gaëtan Devos , Steven Joniau , Charlien Berghen , Gert De Meerleer , Hendrik Van Poppel , Francesco Montorsi , Thomas Wiegel , and Alberto Briganti.
- PD51-02 Planned secondary analysis of pure-01: role of fdg-pet/ct in evaluating lymph node involvement of patients with muscle-invasive bladder cancer (mibc) receiving neoadjuvant pembrolizumab and radical cystectomy (rc) Laura Marandino , Antonella Capozza , Alberto Briganti , Daniele Raggi , Elena Farè , Filippo Pederzoli , Andrea Gallina , **Marco Bandini** , Umberto Capitanio , Marco Bianchi , Giorgio Gandaglia , Nicola Fossati , Patrizia Giannatempo , Ettore Seregni , Andrea Salonia , Francesco Montorsi , Alessandra Alessi , and Andrea Necchi*.
- MP82-06 New classification for upper tract urothelial carcinoma to enhance risk stratification of patients eligible to endoscopic management: an international collaborative study Gautier Marcq* , Beat Foerster , Surena F. Matin , Mounsif Azizi , Mohit Gupta , Wei-Ming Li , Thomas Seisen , Timothy Clinton , Evangelos Xylinas , Mir Carmen , Jose Rubio-Briones , Donald Schweitzer , Andrea Mari , Shoji Kimura , **Marco Bandini** , Romain Mathieu , Ja H. Ku , Uzoma Anele , Markus Grabbert , Anna K. Czech , Tim Muilwijk , Armin Pycha , Mohammad Abufaraj , David D'Andrea , Firas Petros , Philippe E. Spiess , Trinity Bivalacqua , Wen-Jengz Wu , Morgan Rouprêt , Laura-Maria Krabbe , Kees Hendricksen , Shin Egawa , Alberto Briganti , Marco Moschini , Riccardo Autorino , Axel Heidenreich , Piotr Chlostka , Steven Joniau , Francesco Soria , Phillip Pierorazio , Shahrokh F. Shariat , and Wassim Kassouf.

**2020 American Society of Clinical Oncology (ASCO) Genitourinary symposium, Feb 13- 15th,
2020; San Francisco, California**

- Regression tree analysis to identify the best candidates for neoadjuvant chemotherapy (NAC) in patients with clinically lymph node-positive penile squamous cell carcinoma (PSCC). **Marco Bandini**, Yao Zhu, Dingwei Ye, Antonio Augusto Ornellas, Nick Watkin, Michael Ager, Oliver W. Hakenberg, Axel Heidenreich, Daniele Raggi, Mario Catanzaro, Friederike Haidl, Filippo Pederzoli, Alberto Briganti, Francesco Montorsi, Juan Chipollini, Mounsif Azizi, Maarten Albersen, Oscar Brouwer, Philippe E. Spiess, Andrea Necchi.
- Development of a risk calculator of recurrence in inguinal lymph node metastatic (ILNM) patients with surgically resected penile squamous cell carcinoma (PSCC). **Marco Bandini**, Yao Zhu, Dingwei Ye, Antonio Augusto Ornellas, Nick Watkin, Michael Ager, Oliver W. Hakenberg, Axel Heidenreich, Daniele Raggi, Mario Catanzaro, Laura Marandino, Friederike Haidl, Francesco Montorsi, Juan Chipollini, Mounsif Azizi, Maarten Albersen, Roberto Salvioni, Oscar Brouwer, Philippe E. Spiess, Andrea Necchi.
- Interim results of PEANUT: pembrolizumab and nanoparticle albumin-bound paclitaxel (nab-paclitaxel) as salvage therapy for metastatic urothelial carcinoma (UC). Andrea Necchi, Daniele Raggi, Marco Bandini, Elena Farè, Patrizia Giannatempo, Maurizio Colecchia, Filippo Pederzoli, Andrea Gallina, Laura Marandino, Giuseppina Calareso, Russell Madison, Alberto Briganti, Jeffrey S. Ross, Francesco Montorsi.
- Development of a composite biomarker-based calculator to predict the probability of pathologic complete response (pT0) after neoadjuvant pembrolizumab (pembro) in muscle invasive bladder cancer (MIBC). Andrea Necchi, Joshua J. Meeks, Marco Bandini, Leigh Ann Fall, Daniele Raggi, Alberto Briganti, Elena Farè, Patrizia Giannatempo, Kimberly A. McLaughlin, Arighno Das, Laura Marandino, Andrea Gallina, Andrea Salonia, Giorgio Gandaglia, Nicola Fossati, Jeffrey S. Ross, Francesco Montorsi, Ryan Dittamore, Elai Davicioni, Ewan Gibb.
- Secondary analysis of PURE-01: Role of FDG-PET/CT in evaluating lymph node involvement of patients with muscle invasive bladder cancer (MIBC) receiving neoadjuvant

pembrolizumab and radical cystectomy (RC). Laura Marandino, Antonella Capozza, Alberto Briganti, Daniele Raggi, Elena Farè, Filippo Pederzoli, Andrea Gallina, Marco Bandini, Umberto Capitanio, Marco Bianchi, Giorgio Gandaglia, Nicola Fossati, Patrizia Giannatempo, Ettore Seregni, Andrea Salonia, Francesco Montorsi, Alessandra Alessi, Andrea Necchi

**92° Congresso Nazionale della Società Italiana di Urologia (SIU), Venice, 12-15th October
2019**

- Young men with low risk prostate cancer can be safely candidate to active surveillance regardless of the extent of biopsy involvement: results from a single center series with pathological confirmation D. Robesti, **M. Bandini**, S. Scarcella, N. Suardi, L. Nocera, G. Gandaglia, N. Fossati, A. Stabile, P. Dell'Oglio, S. Shariat, N. Longo, V. Mirone, S. Scuderi, P. Karakiewicz, A. Rizzo, D. Cannoletta, F. Barletta, A. Pellegrino, F. Montorsi, A. Briganti
- Do we really need detailed biopsy assessment of patients with low- risk prostate cancer candidate to active surveillance? a prospective validation of the isup recommendation. **M. Bandini**, N. Suardi, S. Scarcella, L. Nocera, G. Gandaglia, N. Fossati, V. Cucchiara, E. Zaffuto, S. Shariat, N. Longo, V. Mirone, S. Scuderi, A. Larcher, D. Robesti, P. Karakiewicz, A. Rizzo, D. Cannoletta, A. Pellegrino, F. Barletta, F. Montorsi, A. Briganti
- Prevalence and surgical management of pubic hypertrophy in hypospadias patients: results from a high-volume surgeon. R. Djinovic, S. Sekulovic, B. Spiridonescu, V. Pesic, M. Slavkovic, A. Salonia, A. Briganti, F. Montorsi, **M. Bandini**
- Vacuum physiotherapy after first stage buccal mucosa graft (bmg) urethroplasty in proximal hypospadias: a feasibility, safety and protocol compliance assessment study. s. sekulovic, R. Djinovic, B. Spiridonescu, A. Salonia, A. Briganti, F. Montorsi, M. Slavkovic, N. Stanojevic, **M. Bandini**
- Which patients with clinically node positive prostate cancer should be considered as candidates for radical prostatectomy as part of a multimodal treatment? the impact of nodal burden. D. Robesti, G. Gandaglia, R. Karnes, G. Devos, A. Battaglia, T. Muilwijk, M.

Soligo, W. Everaerts, L. Boeri, S. Scuderi, A. Stabile, P. Dell'Oglio, **M. Bandini**, N. Fossati, M. Moschini, S. Joniau, F. Montorsi, A. Briganti

- Identifying the optimal definition for early biochemical recurrence after radical prostatectomy: a risk-stratified approach to optimize postoperative follow-up and the use of timely salvage therapies. E. Mazzone, G. Gandaglia, S. Knipper, M. Graefen, A. Gallina, D. Tilki, N. Suardi, **M. Bandini**, V. Cucchiara, A. Stabile, P. Dell'oglio, N. Fossati, F. Montorsi, A. Briganti.
- Time from biochemical to clinical recurrence should be considered as a proxy of overall survival in patients with clinically-localized prostate cancer who experience recurrence after radical prostatectomy. A. Martini, N. Suardi, E. Zaffuto, **M. Bandini**, V. Mirone, N. Longo, S. Shariat, S. Scarcella, S. Scuderi, A. Stabile, R. Colombo, F. Barletta, G. Gandaglia, N. Fossati, F. Montorsi, A. Briganti.
- Development and external validation of a novel risk score to predict long-term clinical recurrence after radical prostatectomy. E. Mazzone, G. Gandaglia, S. Knipper, M. Graefen, D. Tilki, G. Rosiello, G. Fallara, **M. Bandini**, A. Stabile, C. Bravi, D. Paolo, N. Fossati, F. Montorsi, A. Briganti.
- Which positive surgical margins features impact on the risk of prostate cancer specific mortality? a disease-tailored, competing-risk, long-term analysis. S. Scuderi, N. Suardi, G. Gandaglia, D. Robesti, F. Barletta, P. Dell'Oglio, E. Mazzone, **M. Bandini**, M. Freschi, A. Stabile, E. Zaffuto, V. Mirone, N. Longo, S. Shariat, F. Soria, D. D'Andrea, R. Lucianò, U. Capitanio, N. Fossati, F. Montorsi, A. Briganti.
- The effect of annual hospital volume on perioperative outcomes after urethroplasty. B. Spiridonescu, R. Djinic, S. Sekulovic, S. Sansalone, A. Briganti, A. Salonia, F. Montorsi, V. Pesic, P. Karakiewicz, **M. Bandini**.

2019 American Society of Clinical Oncology (ASCO) Annual Meeting, May 31th- June 4th, 2019; Chicago, Illinois

- Sequencing chemotherapy and immune checkpoint inhibitors (ICI) in metastatic urothelial carcinoma (UC): Meet-Uro1 study. **Marco Bandini**, Elena Farè, Daniele Raggi, Ugo De Giorgi, Giuseppe Luigi Banna, Umberto Basso, Tania Losanno, Melissa Bersanelli, Sebastiano Buti, Daniele Santini, Claudia Mucciarini, Marcello Tucci, Rosa Tambaro, Azzurra Farnesi, Corrado Ficorella, Orazio Caffo, Emanuele Naglieri, Filippo Pederzoli, Sandro Pignata, Andrea Necchi.
- Squamous-cell carcinoma variant histology (SCC-VH) in muscle-invasive bladder cancer (MIBC): A comprehensive clinical, genomic, and therapeutic assessment from multiple datasets. **Marco Bandini**, Filippo Pederzoli, Russell Madison, Alberto Briganti, Elizabeth R. Plimack, Jeffrey S. Ross, Guenter Niegisch, Evan Y. Yu, Aristotelis Bamias, Neeraj Agarwal, Srikala S. Sridhar, Jonathan E. Rosenberg, Joaquim Bellmunt, Matt D. Galsky, Andrea Gallina, Andrea Salonia, Francesco Montorsi, Siraj Mahamed Ali, Jon Chung, Andrea Necchi.
- Towards the noninvasive identification of pathologic responders to neoadjuvant pembrolizumab in muscle-invasive urothelial bladder cancer (MIBC). Giuseppina Calareso, **Marco Bandini**, Daniele Raggi, Elena Farè, Andrea Gallina, Renzo Colombo, Maurizio Colecchia, Roberta Luciano Luciano, Andrea Salonia, Filippo Pederzoli, Jeffrey S. Ross, Russell Madison, Siraj Mahamed Ali, Jon Chung, Francesco Montorsi, Alberto Briganti, Antonella Messina, Andrea Necchi.

Annual Congress of the Society of Pediatric Urologists (SPU), Chicago, 2nd-5th May 2019

- PD10. Vacuum physiotherapy after first stage buccal mucosa graft (BMG) urethroplasty in proximal hypospadias: A feasibility, safety and protocol compliance assessment study. **M. Bandini**, S. Sekulovic, B. Spiridonescu, A.D. Dangi, P. Krishnappa, N. Stanojevic, V. Pesic, M. Slavkovic, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.
- MP1. Prevalence and surgical management of pubic hypertrophy in hypospadias patients: Results from a high-volume surgeon. **M. Bandini**, S. Sekulović, N. Stanojevic, B. Spiridonescu, A.D. Dangi, P. Krishnappa, V. Pesic, M. Slavkovic, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.

- MP2. Corporeal penile curvature (CPC) and surgical complications in hypospadias repairs: Associations and outcomes. **M. Bandini**, S. Sekulović, A.D. Dangi, P. Krishnappa, N. Stanojevic, V. Pesic, M. Slavkovic, B. Spiridonescu, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.

Annual Congress of the American Urological Association (AUA), Chicago, 2nd-5th May 2019

- PD47-09 First survival outcomes and additional secondary analyses from pure-01: pembrolizumab (pembro) before radical cystectomy (rc) in muscle-invasive urothelial bladder carcinoma (mibc) Andrea Necchi*, **Marco Bandini**, Andrea Gallina, Marco Bianchi, Daniele Raggi, Antonella Messina, Jon Chung, Siraj Ali, Jeffrey Ross, Andrea Anichini, Andrea Anichini, Maurizio Colecchia, Giorgio Gandaglia, Nicola Fossati, Simone Scuderi, Filippo Pederzoli, Andrea Salonia, Renzo Colombo, Alberto Briganti, and Francesco Montorsi
- MP55-07 The effect of annual hospital volume (ahv) on perioperative outcomes after urethroplasty. **Marco Bandini***, Rados Djinovic, Francesco Montorsi, Sasha Sekulovic, Nikola Stanojevic, Milan Slavkovic, Bogdan Spiridonescu, Zhe Tian, Vladislav Pesic, Pramod Krishnappa, Anuj Deep Dangi, Salvatore Sansalone, Andrea Salonia, Alberto Briganti, and Pierre Karakiewicz.
- PD55-12 Incremental utility of mp-mri performed before confirmatory biopsy in reducing the risk of progression during active surveillance for men with low risk prostate cancer: is imaging always useful? **Marco Bandini**, Luigi Nocera*, Simone Scarcella, Nazareno Suardi, Giorgio Gandaglia, Nicola Fossati, Armando Stabile, Shahrokh Shariat, Pierre Karakiewicz, Paolo Dell'Oglio, Nicola Longo, Vincenzo Mirone, Simone Scuderi, Daniele Robesti, Aldo Rizzo, Donato Cannoletta, Francesco Barletta, Antony Pellegrino, Francesco Montorsi, and Alberto Briganti.
- PD45-11 Identifying the optimal definition for early biochemical recurrence after radical prostatectomy: a risk-stratified approach to optimize postoperative follow-up and the use of timely salvage therapies. Elio Mazzone*, Giorgio Gandaglia, Sophie Knipper, Markus Graefen, Andrea Gallina, Derya Tilki, Nazareno Suardi, **Marco Bandini**, Vito Cucchiara, Armando Stabile, Paolo Dell'Oglio, Nicola Fossati, Francesco Montorsi, and Alberto Briganti.

- PD45-12 Development and external validation of a novel risk score to predict long-term clinical recurrence after radical prostatectomy. Elio Mazzone*, Giorgio Gandaglia, Sophie Knipper, Markus Graefen, Derya Tilki, Giuseppe Rosiello, Giuseppe Fallara, **Marco Bandini**, Armando Stabile, Carlo Bravi, Paolo Dell'Oglio, Nicola Fossati, Francesco Montorsi, and Alberto Briganti.

- MP41-13 Time from biochemical to clinical recurrence should be considered as a proxy of overall survival in patients with clinically-localized prostate cancer who experience recurrence after radical prostatectomy. Alberto Martini*, Nazareno Suardi, **Marco Bandini**, Emanuele Zaffuto, Vincenzo Mirone, Nicola Longo, Shahrokh Shariat, Simone Scarcella, Simone Scuderi, Francesco Barletta, Armando Stabile, Renzo Colombo, Giorgio Gandaglia, Nicola Fossati, Francesco Montorsi, and Alberto Briganti.

- MP22-10 Which positive surgical margins features impact on the risk of prostate cancer specific mortality? a disease-tailored, competing-risk, long-term analysis. Nazareno Suardi*, Giorgio Gandaglia, Daniele Robesti, Simone Scuderi, Francesco Barletta, Paolo Dell'Oglio, Elio Mazzone, **Marco Bandini**, Massimo Freschi, Armando Stabile, Shahrokh Shariat, Vincenzo Mirone, Nicola Longo, Francesco Soria, David D'Andrea, Roberta Lucianò, Umberto Capitanio, Nicola Fossati, Francesco Montorsi, and Alberto Briganti.

34th Annual Congress of the European Association of Urology (EAU), EAU19 Barcelona – 15-19 March 2019

- Development and external validation of a novel risk score to predict long-term clinical recurrence after radical prostatectomy. E. Mazzone, G. Gandaglia, S. Knipper, M. Graefen, D. Tilki, G. Rosiello, G. Fallara, **M. Bandini**, A. Stabile, C.A. Bravi, P. Dell'Oglio, N. Fossati, F. Montorsi, A. Briganti.

- Which patients with clinically node positive prostate cancer should be considered as candidates for radical prostatectomy as part of a multimodal treatment? The impact of nodal burden. G. Gandaglia, R.J. Karnes, G. Devos, A. Battaglia, T. Muilwijk, M. Soligo,

W. Evaraerts, L. Boeri, S. Scuderi, A. Stabile, D. Robesti, P. Dell'Oglio, **M. Bandini**, N. Fossati, M. Moschini, S. Joniau, F. Montorsi, A. Briganti.

- Impact of bilateral neurovascular bundle preservation on oncological outcomes in non-organ confined prostate cancer patients. F. Preisser, G. Gandaglia, P. Karakiewicz, **M. Bandini**, R. Pompe, F. Montorsi, M. Graefen, H. Huland, A. Briganti, D. Tilki.
- The effect of annual hospital volume on perioperative outcomes after urethroplasty. **M. Bandini**, R. Djinovic, F. Montorsi, S. Sekulovic, B. Spiridonescu, A.D. Dangi, P. Krishnappa, N. Stanojevic, V. Pesic, M. Slavkovic, S. Sansalone, A. Salonia, A. Briganti, P. Karakiewicz.
- Young men with low risk prostate cancer can be safely candidate to active surveillance regardless of the extent of biopsy involvement: Results from a single center series with pathological confirmation. **M. Bandini**, S. Scarcella, N. Suardi, L. Nocera, G. Gandaglia, N. Fossati, A. Stabile, P. Dell'Oglio, S. Shariat, N. Longo, V. Mirone, S. Scuderi, P. Karakiewicz, D. Robesti, A. Rizzo, D. Cannoletta, F. Barletta, A. Pellegrino, F. Montorsi, A. Briganti.
- Hypospadias complexity score (HCS): A new tool for predicting operating time and complications in hypospadias surgery. **M. Bandini**, S. Sekulovic, N. Stanojevic, M. Slavkovic, B. Spiridonescu, A.D. Dangi, P. Krishnappa, V. Pesic, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.
- Vacuum physiotherapy after first stage buccal mucosa graft (BMG) urethroplasty in proximal hypospadias: A feasibility, safety and protocol compliance assessment study. **M. Bandini**, S. Sekulovic, B. Spiridonescu, A.D. Dangi, P. Krishnappa, N. Stanojevic, V. Pesic, M. Slavkovic, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.
- Real prevalence and severity of penile curvature in different types of hypospadias. S. Sekulović, **M. Bandini**, B. Spiridonescu, N. Stanojevic, M. Slavkovic, A. Deep Dangi, P. Krishnappa, V. Pesic, F. Montorsi, R. Djinovic.

- Corporeal penile curvature (CPC) and surgical complications in hypospadias repairs: Associations and outcomes. **M. Bandini**, S. Sekulović, A.D. Dangi, P. Krishnappa, N. Stanojevic, V. Pesic, M. Slavkovic, B. Spiridonescu, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.
- Prevalence and surgical management of pubic hypertrophy in hypospadias patients: Results from a high-volume surgeon. **M. Bandini**, S. Sekulović, N. Stanojevic, B. Spiridonescu, A.D. Dangi, P. Krishnappa, V. Pesic, M. Slavkovic, A. Briganti, A. Salonia, F. Montorsi, R. Djinovic.
- Which positive surgical margins features impact on the risk of prostate cancer specific mortality? A disease-tailored, competing-risk, long-term analysis. N. Suardi, G. Gandaglia, D. Robesti, S. Scuderi, F. Barletta, P. Dell'Oglio, E. Mazzone, **M. Bandini**, M. Freschi, A. Stabile, E. Zaffuto, V. Mirone, N. Longo, S.F. Shariat, F. Soria, D. D'Andrea, R. Luciano', U. Capitanio, N. Fossati, F. Montorsi, A. Briganti.
- Identifying the optimal definition for early biochemical recurrence after radical prostatectomy: A risk-stratified approach to optimize postoperative follow-up and the use of timely salvage therapies. E. Mazzone, G. Gandaglia, S. Knipper, M. Graefen, A. Gallina, D. Tilki, N. Suardi, **M. Bandini**, V. Cucchiara, A. Stabile, P. Dell'Oglio, N. Fossati, F. Montorsi, A. Briganti.
- Diagnostic value of FDG-positron emission tomography (PET/CT) for lymph node staging in patients with upper tract urothelial carcinoma (UTUC). D. Schweitzer, J. Bjerggaard Jensen, A.M. Nielsen, S. Joniau, T. Muilwijk, A. Necchi, M. Azizi, P.E. Spiess, A. Briganti, **M. Bandini**, K. Goffin, K. Bouchelouche, E. Van Werkhoven, B.W.G. Van Rhijn, B. Foerster, S.F. Shariat, I. Ouzaid, E. Xylinas, N.H. Azawi, J.H. Ku, E. Veigt, K. Hendricksen.
- Postoperative paralytic ileus after major oncological procedures in the enhanced recovery after surgery era: A population based analysis. S. Nazzani, M.C. Clementi, R. Stubinski, **M. Bandini**, M. Marchioni, F. Preisser, L. Carmignani, P. Karakiewicz.

- First survival outcomes and additional secondary analyses from PURE-01: Pembrolizumab (Pembro) before radical cystectomy (RC) in muscle-invasive urothelial bladder carcinoma (MIBC). A. Necchi, **M. Bandini**, A. Gallina, M. Bianchi, D. Raggi, E. Fare', A. Messina, J. Chung, S. Ali, J. Ross, A. Anichini, M. Colecchia, G. Gandaglia, N. Fossati, S. Scuderi, F. Pederzoli, A. Salonia, R. Colombo, A. Briganti, F. Montorsi.
- Do we really need detailed biopsy assessment of patients with low-risk prostate cancer candidate to active surveillance? A prospective validation of the ISUP recommendations. **M. Bandini**, N. Suardi, S. Scarcella, L. Nocera, G. Gandaglia, N. Fossati, V. Cucchiara, E. Zaffuto, S. Shariat, N. Longo, V. Mirone, S. Scuderi, A. Larcher, D. Robesti, P. Karakiewicz, A. Rizzo, D. Cannoletta, A. Pellegrino, F. Barletta, F. Montorsi, A. Briganti.
- Incremental utility of mp-MRI performed before confirmatory biopsy in reducing the risk of progression during active surveillance for men with low risk prostate cancer: Is imaging always useful? **M. Bandini**, L. Nocera, S. Scarcella, N. Suardi, G. Gandaglia, N. Fossati, A. Stabile, P. Dell'Oglio, S. Shariat, N. Longo, V. Mirone, S. Scuderi, D. Robesti, P. Karakiewicz, A. Rizzo, D. Cannoletta, F. Barletta, A. Pellegrino, F. Montorsi, A. Briganti.

Genito urinary cancer symposium (ASCO-GU), San Francisco, 14th-16th February 2019

- First survival outcomes and additional secondary analyses from PURE-01: Pembrolizumab (pembro) before radical cystectomy (RC) in muscle-invasive urothelial bladder carcinoma (MIBC). Andrea Necchi, **Marco Bandini**, Andrea Gallina, Marco Bianchi, Daniele Raggi, Elena Farè, Antonella Messina, Jon Chung, Siraj Mahamed Ali, Russell Madison, Andrea Anichini, Maurizio Colecchia, Giorgio Gandaglia, Nicola Fossati, Simone Luca Antonio Scuderi, Filippo Pederzoli, Renzo Colombo, Alberto Briganti, Francesco Montorsi.

91° Congresso Nazionale della Società Italiana di Urologia (SIU), Riccione, 13-16th October 2018

- The importance of negative baseline multiparametric mri to reduce the rate of early reclassification in low-risk prostate cancer patients managed with active surveillance N. Suardi, E. Mazzone, G. Gandaglia, N. Fossati, A. Gallina, G. Pini, C. Bravi, F. Gaboardi,

E. Zaffuto, **M. Bandini**, P. Dell'Oglio, A. Stabile, G. Cardone, V. Mirone, R. Montironi, S. Shariat, F. Montorsi, A. Briganti

- Comparison of perioperative outcomes between open and robotic radical cystectomy: a population-based analysis S. Nazzani, E. Mazzone, **M. Bandini**, M. Marchioni, D. Ratti, G. Motta, A. Briganti, E. Montanari E. Zaffuto, **M. Bandini**, P. Dell'Oglio, A. Stabile, G. Cardone, V. Mirone, R. Montironi, S. Shariat, F. Montorsi, A. Briganti
- Comparison of perioperative outcomes between open and robotic radical cystectomy: a population-based analysis S. Nazzani, E. Mazzone, **M. Bandini**, M. Marchioni, D. Ratti, G. Motta, A. Briganti, E. Montanari, L. Carmignani, P. Karakiewicz
- Impact of previous experience with open surgery and initial annual robotic caseload on positive surgical margin rates after robot-assisted radical prostatectomy E. Mazzone, G. Gandaglia, N. Suardi, P. Dell'Oglio, N. Fossati, E. Zaffuto, G. Saitta, **M. Bandini**, G. Guazzoni, F. Gaboardi, V. Mirone, R. Damiano, A. Gallina, F. Montorsi, A. Briganti
- Stage-migration and survival of lymph node positive prostate cancer patients: a comprehensive trend analyses of surgically treated men over the last two decades **M. Bandini**, P. Dell'Oglio, G. Gandaglia, N. Fossati, A. Stabile, E. Zaffuto, M. Bianchi, C. Bravi, E. Mazzone, F. Preisser, M. Soligo, S. Shariat, R. Montironi, P. Karakiewicz, J. Karnes, M. Graefen, D. Tilki, F. Montorsi, A. Briganti
- Is there an age limit for the indication of extended pelvic lymph node dissection during radical prostatectomy in patients with clinically localized prostate cancer? A. Larcher, G. Gandaglia, N. Fossati, P. Dell'Oglio, A. Stabile, C. Bravi, **M. Bandini**, E. Mazzone, A. Martini, E. Zaffuto, N. Suardi, F. Muttin, M. Bianchi, V. Mirone, A. Mottrie, F. Montorsi, A. Briganti
- Assessing the 20-year outcomes of lymph node positive prostate cancer patients: a plea for lifelong follow-up **M. Bandini**, G. Gandaglia, N. Fossati, P. Dell'Oglio, E. Zaffuto, C. Bravi, E. Mazzone, M. Soligo, F. Preisser, P. Karakiewicz, M. Graefen, D. Tilki, J. Karnes, F. Montorsi, A. Briganti

- Which patients with low-risk prostate cancer are still receiving radical prostatectomy? impact of patient selection on inverse stage migration at two european, tertiary referral centers e. Zaffuto, N. Fossati, G. Gandaglia, E. Mazzone, D. Cianflone, P. Dell'Oglio, **M. Bandini**, A. Stabile, M. Bianchi, F. Dehò, A. Gallina, R. Damiano, F. Abdollah, P. Karakiewicz, F. Preisser, M. Graefen, D. Tilki, F. Montorsi, A. Briganti
- Proposal of a novel procedure-specific classification system for postoperative complications in patients undergoing robot-assisted radical prostatectomy L. Grillo, C. Bravi, G. Gandaglia, N. Fossati, P. Dell'Oglio, A. Stabile, **M. Bandini**, E. Zaffuto, E. Mazzone, D. Robesti, S. Scuderi, A. Gallina, R. Bertini, U. Capitanio, L. Nocera, F. Barletta, P. Karakiewicz, F. Montorsi, A. Briganti
- Predictors of early cancer specific and other cause mortality in high risk prostate cancer patients after radical prostatectomy: results from a large, multi-institutional analysis M. Bianchi, G. Gandaglia, N. Fossati, P. Dell'Oglio, S. Joniau, M. Colicchia, S. Munegato, **M. Bandini**, F. Cantiello, R. Damiano, V. Mirone, M. Spahn, V. Scattoni, P. Gontero, R.J. Karnes, F. Montorsi, A. Briganti
- Trend of use of adjuvant and salvage radiation therapy after radical prostatectomy and impact on long-term outcomes: results from three high volume centers over the last two decades F. Cianflone, A. Martini, **M. Bandini**, P. Dell'Oglio, G. Gandaglia, N. Fossati, C. Bravi, E. Mazzone, A. Stabile, E. Zaffuto, F. Preisser, P. Karakiewicz, M. Soligo, J. Karnes, M. Graefen, D. Tilki, F. Montorsi, A. Briganti
- The prognostic significance of persistently elevated psa after radical prostatectomy is highly associated with pathological stage: implications for timely use of salvage treatments G. Fallara, C. Bravi, G. Gandaglia, W. Parker, N. Fossati, **M. Bandini**, E. Zaffuto, R. Colombo, M. Tutolo, N. Suardi, U. Capitanio, V. Mirone, J. Karnes, S. Boorjian, F. Montorsi, A. Briganti
- Central prostate biopsy revision at referral center is key for correct patient management: results from a prospective, single center series M. Bianchi, C. Bravi, N. Fossati, G. Gandaglia, P. Dell'Oglio, **M. Bandini**, E. Zaffuto, P. Karakiewicz, U. Capitanio, S. Shariat, V. Scattoni, R. Bertini, R. Montironi, M. Freschi, C. Doglioni, F. Montorsi, A. Briganti

- Where do we miss extracapsular extension at multiparametric magnetic resonance imaging of the prostate? a site-per-site analysis in a single center, radical prostatectomy series G. Gandaglia, S. Scuderi, N. Fossati, G. Brembilla, P. Dell'Oglio, F. Abdollah, M. Freschi, L. Grillo, R. Lucianò, **M. Bandini**, A. Nini, R. Montironi, V. Mirone, F. Gaboardi, A. Esposito, F. De Cobelli, F. Montorsi, A. Briganti

**2018 American Society of Clinical Oncology (ASCO) Annual Meeting, June 1-5, 2018;
Chicago, Illinois**

- Preoperative pembrolizumab (pembro) before radical cystectomy (RC) for muscle-invasive urothelial bladder carcinoma (MIUC): Interim clinical and biomarker findings from the phase 2 PURE-01 study. Andrea Necchi, Alberto Briganti, Marco Bianchi, Daniele Raggi, Patrizia Giannatempo, Roberta Luciano', Maurizio Colecchia, Simona Massa, **Marco Bandini**, Nicola Fossati, Giorgio Gandaglia, Renzo Colombo, Andrea Gallina, Andrea Salonia, Roberto Salvioni, Siraj Mahamed Ali, Jeffrey S. Ross, Jon Chung, Francesco Montorsi.
- Relapse-free survival (RFS) of clinical T2-4N0 urothelial bladder carcinoma (UBC) after radical cystectomy (RC), with or without perioperative chemotherapy (POC): Endpoints for clinical trial design. **Marco Bandini**, Alberto Briganti, Elizabeth R. Plimack, Guenter Niegisch, Evan Y. Yu, Aristotelis Bamias, Neeraj Agarwal, Srikala S. Sridhar, Cora N. Sternberg, Ulka N. Vaishampayan, Christine Theodore, Jonathan E. Rosenberg, Joaquim Bellmunt, Matt D. Galsky, Francesco Montorsi, Andrea Necchi.

**Annual Congress of the American Urological Association (AUA), San Francisco, 18th-21th
May 2018**

- IMPACT OF BILATERAL NEUROVASCULAR BUNDLE PRESERVATION ON ONCOLOGICAL OUTCOMES IN NON-ORGAN CONFINED PROSTATE CANCER Felix Preisser, Giorgio Gandaglia, Pierre Karakiewicz, **Marco Bandini**, Raisa Pompe, Francesco Montorsi, Markus Graefen, Hartwig Huland, and others

- SURVIVAL AFTER CYTOREDUCTIVE NEPHRECTOMY IN METASTATIC NON-CLEAR CELL RENAL CELL CARCINOMA PATIENTS: A POPULATION-BASED STUDY Michele Marchioni, **Marco Bandini**, Felix Preisser, Zhe Tian, Anil Kapoor, Luca Cindolo, Giulia Primiceri, Francesco Berardinelli, and others

- THE PROGNOSTIC SIGNIFICANCE OF PERSISTENTLY ELEVATED PSA AFTER RADICAL PROSTATECTOMY IS HIGHLY ASSOCIATED WITH PATHOLOGICAL STAGE: IMPLICATIONS FOR TIMELY USE OF SALVAGE TREATMENTS Carlo Andrea Bravi, Giorgio Gandaglia, William Parker, Nicola Fossati, **Marco Bandini**, Emanuele Zaffuto, Renzo Colombo, Manuela Tutolo, and others

- SYSTEMATIC REVIEW AND META-ANALYSIS OF ADJUVANT THERAPY AFTER NEPHRECTOMY FOR HIGH-RISK, NON-METASTATIC RENAL CELL CARCINOMA **Marco Bandini**, Umberto Capitanio, Ariane Smith, Sebastiano Nazani, Michele Marchioni, Felix Preisser, Elio Mazzone, Helen Bondarenko, and others

- ASSESSING THE 20-YEAR OUTCOMES OF LYMPH NODE POSITIVE PROSTATE CANCER PATIENTS: A PLEA FOR LIFELONG FOLLOW-UP **Marco Bandini**, Nicola Fossati, Giorgio Gandaglia, Paolo Dell'Oglio, Emanuele Zaffuto, Carlo Andrea Bravi, Elio Mazzone, Felix Preisser, and others

- INCREASING RATE OF NON-INTERVENTIONAL TREATMENT MANAGEMENT IN LOCALIZED PROSTATE CANCER CANDIDATES FOR ACTIVE SURVEILLANCE **Marco Bandini**, Nazareno Suardi, Marco Moschini, Ariane Smith, Helen Bondarenko, Sebastiano Nazani, Michele Marchioni, Felix Preisser, and others

- WHERE DO WE MISS EXTRACAPSULAR EXTENSION AT MULTIPARAMETRIC MAGNETIC RESONANCE IMAGING OF THE PROSTATE? Giorgio Gandaglia, Simone Scuderi, Nicola Fossati, Giorgio Brembilla, Paolo Dell'Oglio, Firas Abdollah, Massimo Freschi, Luca Grillo, **Marco Bandini** and others

- THE IMPORTANCE OF NEGATIVE BASELINE MULTIPARAMETRIC MRI TO REDUCE THE RATE OF EARLY RECLASSIFICATION IN LOW-RISK PROSTATE CANCER PATIENTS MANAGED WITH ACTIVE SURVEILLANCE Nazareno Suardi,

Elio Mazzone, Giorgio Gandaglia, Nicola Fossati, Andrea Gallina, Giovannalberto Pini, Franco Gaboardi, Emanuele Zaffuto, **Marco Bandini** and others

- EFFECT OF AFRICAN-AMERICAN RACE ON CANCER SPECIFIC MORTALITY DIFFERS ACCORDING TO CLEAR-CELL VS. NON-CLEAR CELL HISTOLOGIC SUBTYPE IN METASTATIC RENAL CELL CARCINOMA Michele Marchioni, Sabrina Harmouch, **Marco Bandini**, Felix Preisser, Sebastiano Nazzani, Zhe Tian, Helen D. Bondarenko, Anil Kapoor, and others

- COMPARISON OF PARTIAL VS. RADICAL NEPHRECTOMY EFFECT ON OTHER CAUSE MORTALITY, CANCER SPECIFIC MORTALITY AND 30-DAY MORTALITY IN PATIENTS OLDER THAN 75 YEARS Michele Marchioni, Felix Preisser, **Marco Bandini**, Sebastiano Nazzani, Zhe Tian, Anil Kapoor, Firas Abdollah, Luca Cindolo, and others

- EFFICACY OF PREOPERATIVE CHEMOTHERAPY ON OUTCOMES OF HIGH-RISK UPPER TRACT UROTHELIAL CARCINOMA (UTUC) Beat Foerster, Surena F. Matin, Mohit Gupta, Donald Schweitzer, Timothy Clinton, Shoji Kimura, **Marco Bandini**, Ja H. Ku, and others

- WHICH PATIENTS WITH LOW-RISK PROSTATE CANCER ARE STILL RECEIVING RADICAL PROSTATECTOMY? IMPACT OF PATIENT SELECTION ON INVERSE STAGE MIGRATION AT TWO TERTIARY REFERRAL CENTERS Emanuele Zaffuto, Nicola Fossati, Giorgio Gandaglia, Elio Mazzone, Francesco Cianflone, Paolo Dell'Oglio, **Marco Bandini**, Armando Stabile, and others

- VALIDATION OF EAU GUIDELINE'S PRETREATMENT RISK STRATIFICATION PARAMETERS IN UPPER TRACT UROTHELIAL CARCINOMA (UTUC) Beat Foerster, Firas Petros, Thomas Seisen, Evangelos Xylinas, Shoji Kimura, Leonardo L. Monteiro, Mounsiif Azizi, **Marco Bandini**, and others

- TREND OF USE OF ADJUVANT AND SALVAGE RADIATION THERAPY AFTER RADICAL PROSTATECTOMY AND IMPACT ON LONG-TERM OUTCOMES: RESULTS FROM THREE HIGH VOLUME CENTERS OVER THE LAST TWO

DECADES **Marco Bandini**, Paolo Dell'Oglio, Nicola Fossati, Giorgio Gandaglia, Carlo Andrea Bravi, Emanuele Zaffuto, Armando Stabile, Elio Mazzone, and others

- STAGE-MIGRATION AND SURVIVAL OF LYMPH NODE POSITIVE PROSTATE CANCER PATIENTS: A COMPREHENSIVE TREND ANALYSES OF SURGICALLY TREATED MEN OVER THE LAST TWO DECADES **Marco Bandini**, Paolo Dell'Oglio, Giorgio Gandaglia, Nicola Fossati, Armando Stabile, Emanuele Zaffuto, Marco Bianchi, Carlo Andrea Bravi, and others

**33th Annual Congress of the European Association of Urology (EAU), EAU18 Copenhagen –
16-20 March 2018**

- Contemporary trends and survival outcomes after aborted radical prostatectomy in lymph node metastatic prostate cancer patients Authors: **Bandini M.**, Preisser F., Nazzani S., Marchioni M., Tian Z., Smith A., Bondarenko H., Gallina A., Abdollah F., Shariat S., Montorsi F., Saad F., Tilki D., Briganti A., Karakiewicz P.
- Value of repeated ureterorenoscopy within the first 3 months after endoscopic treatment in upper tract urothelial carcinoma (UTUC) Förster B., Muilwijk T., Xylinas E., Seisen T., Monteiro L., **Bandini M.**, Schweitzer D., D'Andrea D., Bianchi M., Abufaraj M., Hendricksen K., Joniau S., Rouprêt M., Briganti A., Autorino R., Anele U., Kassouf W., John H., Van Rhijn B., Colin P., Shariat S.
- Comparison of partial vs. radical nephrectomy effect on other cause mortality, cancer specific mortality and 30-day mortality in patients older than 75 years Marchioni M., Preisser F., **Bandini M.**, Nazzani S., Tian Z., Kapoor A., Cindolo L., Primiceri G., Abdollah F., Tilki D., Briganti A., Montorsi F., Bondarenko H., Shariat S., Schips L., Karakiewicz P.
- North American validation and head-to-head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy **Bandini M.**, Marchioni M., Pompe R., Davis Bondarenko H., Smith A., Zhe T., Gandaglia G., Fossati N., Abdollah F., Graefen M., Montorsi F., Saad F., Shariat S., Briganti A., Karakiewicz P.

- Effect of African-American race on cancer specific mortality differs according to clear-cell vs. non-clear cell histologic subtype in metastatic renal cell carcinoma Marchioni M. , Harmouch S., **Bandini M.**, Preisser F., Nazzani S., Tian Z., Bondarenko H.D., Kapoor A., Cindolo L., Briganti A. Shariat S.F., Schips L., Karakiewicz P.I.
- The importance of negative baseline multiparametric MRI to reduce the rate of early reclassification in low-risk prostate cancer patients managed with active surveillance Suardi N., Mazzone E., Gandaglia G., Fossati N., Gallina A., Pini G., Bravi C.A., Gaboardi F., Zaffuto E., **Bandini M.**, Dell'Oglio P., Stabile A., Cardone G., Mirone V., Montironi R., Shariat S., Montorsi F., Briganti A.
- Stage-migration and survival of lymph node positive prostate cancer patients: A comprehensive trend analyses of surgically treated men over the last two decades **Bandini M.**, Dell'Oglio P., Gandaglia G., Fossati N., Stabile A., Zaffuto E., Bianchi M., Bravi C.A., Mazzone E., Preisser F., Soligo M., Shariat S., Montironi R., Karakiewicz P., Karnes J., Graefen M., Tilki D., Montorsi F., Briganti A.
- Which patients with low-risk prostate cancer are still receiving radical prostatectomy? Impact of patient selection on inverse stage migration at two European, tertiary referral centers Zaffuto E., Fossati N., Gandaglia G., Mazzone E., Cianflone D., Dell'Oglio P., **Bandini M.**, Stabile A., Bianchi M., Dehò F., Gallina A., Damiano R., Abdollah F., Karakiewicz P.I., Preisser F., Graefen M., Tilki D., Montorsi F., Briganti A.
- Burden of lymph node metastases in patients with prostate cancer treated with radical prostatectomy and lymph node dissection Preisser F., Marchioni M., **Bandini M.**, Saad F., Graefen M., Tilki D., Karakiewicz P.I.
- Systematic review and meta-analysis of adjuvant therapy after nephrectomy for high-risk, non-metastatic renal cell carcinoma **Bandini M.**, Capitanio U., Tian Z., Smith A., Marchioni M., Nazzani S., Preisser F., Bondarenko H., Larcher A., Fossati N., Gandaglia G. , Shariat S. , Montorsi F. , Briganti A., Kapoor A. , Karakiewicz P.
- Validation of pre-treatment risk stratification parameters according to EAU Guidelines on upper tract urothelial carcinoma (UTUC) Förster B., Matin S., Seisen T., Xylinas E.,

Kimura S., Monteiro L., Azizi M., **Bandini M.**, Clinton T., Hendricksen K., Ku J., Grabbert M., Czech A., Mathieu R., Muilwijk T., Krabbe L-M., Rouprêt M., Briganti A., Heidenreich A., Pycha A., Autorino R., Anele U., Egawa S., Spiess P., Kassouf W., Shariat S.

- Radiotherapy effect on surgically treated retroperitoneal sarcoma: A propensity score analysis Nazzani S., Marchioni M., Preisser F., **Bandini M.**, Motta G., Acquati P., Carmignani L., Karakiewicz P.
- The prognostic significance of persistently elevated PSA after radical prostatectomy is highly associated with pathological stage: Implications for timely use of salvage treatments Bravi C.A., Gandaglia G., Parker W., Fossati N., **Bandini M.**, Zaffuto E., Colombo R., Tutolo M., Suardi N., Capitanio U., Mirone V., Karnes J., Boorjian S., Montorsi F., Briganti A.
- Increasing trend of non-interventional treatment management in patients candidate to active surveillance with localized prostate cancer **Bandini M.**, Suardi N., Moschini M., Smith A., Bondarenko H., Nazzani S., Marchioni M., Preisser F., Tian Z., Abdollah F., Schips L., Montorsi F., Shariat S., Saad F., Briganti A., Karakiewicz P.
- Is there an age limit for the indication of extended pelvic lymph node dissection during radical prostatectomy in patients with clinically localized prostate cancer? Larcher A., Gandaglia G., Fossati N., Dell'Oglio P., Stabile A., Bravi C.A., **Bandini M.**, Mazzone E., Martini A., Zaffuto E., Suardi N., Muttin F., Bianchi M., Mirone V., Mottrie A., Montorsi F., Briganti A.
- Survival benefit of local vs. no local treatment for metastatic prostate cancer - impact of baseline PSA and metastatic substages Pompe R.S., Tilki D., Preisser F., Leyh-Bannurah S-R., **Bandini M.**, Marchioni M., Philipp G., Tian Z., Fossati N., Cindolo L., Shariat S., Davis-Bondarenko H., Smith A., Huland H., Briganti A., Graefen M., Karakiewicz P.

- Impact of previous experience with open surgery and initial annual robotic caseload on positive surgical margin rates after robot-assisted radical prostatectomy E. Mazzone, G. Gandaglia, N. Suardi, P. Dell'Oglio, N. Fossati, E. Zaffuto, G. Saitta, **M. Bandini**, G. Guazzoni, F. Gaboardi, V. Mirone, R. Damiano, A. Gallina, F. Montorsi, A. Briganti
- Predictors of early cancer specific and other cause mortality in high risk prostate cancer patients after radical prostatectomy: results from a large, multi-institutional analysis M. Bianchi, G. Gandaglia, N. Fossati, P. Dell'Oglio, S. Joniau, M. Colicchia, S. Munegato, **M. Bandini**, F. Cantiello, R. Damiano, V. Mirone, M. Spahn, V. Scattoni, P. Gontero, R.J. Karnes, F. Montorsi, A. Briganti
- Assessing the 20-year outcomes of radical prostatectomy for high risk prostate cancer: results from a large, multi-institutional series
M. Bianchi, M. Colicchia, G. Gandaglia, S. Munegato, N. Fossati, **M. Bandini**, A. Stabile, P. Dell'Oglio, N. Suardi, V. Mirone, F. Cantiello, P. Gontero, R.J. Karnes, S. Joniau, M. Spahn, F. Montorsi, A. Briganti
- Association between early urinary continence and erectile function recovery after robot-assisted radical prostatectomy: development of a novel postoperative risk score to optimize patient counseling and follow-up **M. Bandini**, G. Gandaglia, N. Suardi, A. Gallina, P. Dell'Oglio, N. Fossati, V. Cucchiara, M. Moschini, E. Zaffuto, A. Salonia, F. Gaboardi, R. Damiano, V. Mirone, F. Montorsi, A. Briganti
- Does the inclusion of non-index lesions at biopsy improve our ability to predict adverse pathologic outcomes at radical prostatectomy? implications for targeted plus systematic biopsy schemes F. Barletta, G. Gandaglia, **M. Bandini**, P. Dell'Oglio, N. Fossati, F. Pellegrino, G. Fallara, E. Zaffuto, C.A. Bravi, L. Nocera, V. Mirone, R. Damiano, F. Cantiello, M. Freschi, R. Montironi, F. Montorsi, A. Briganti
- Update nomogram predicting lymph node invasion in prostate cancer patients undergoing extended pelvic lymph node dissection: the importance of detailed biopsy reports L. Nocera, G. Gandaglia, P. Dell'Oglio, N. Fossati, **M. Bandini**, G. Fallara, F. Pellegrino, G. Saitta, C.A. Bravi, E. Zaffuto, N. Suardi, V. Mirone, R. Damiano, R. Montironi, M. Freschi, F. Montorsi, A. Briganti

- Predicting local failure after radical cystectomy in bladder cancer patients: implications for the selection of candidates at adjuvant radiation therapy
M. Moschini, R. Colombo, E. Zaffuto, P. Dell'Oglio, **M. Bandini**, A. Mattei, A. Salonia, A. Briganti, F. Montorsi, A. Gallina
- Pure but not mixed histologic variants are associated with poor survival at radical cystectomy in bladder cancer patients R. Colombo, M. Moschini, E. Zaffuto, P. Dell'Oglio, **M. Bandini**, A. Mattei, A. Salonia, A. Briganti, F. Montorsi, A. Gallina
- Impact of intra- and post-operative blood transfusion on the incidence, timing and pattern of disease recurrence after radical cystectomy R. Colombo, M. Moschini, E. Zaffuto, P. Dell'Oglio, **M. Bandini**, A. Mattei, A. Salonia, A. Briganti, F. Montorsi, A. Gallina
- Salvage lymph node dissection in nodal recurrent prostate cancer is not devoid of complications: results from a single tertiary referral center P. Dell'Oglio, G. Gandaglia, A. Stabile, N. Fossati, M. Bianchi, C.A. Bravi, E. Zaffuto, **M. Bandini**, G. Fallara, A. Martini, A. Gallina, N. Suardi, V. Mirone, F. Cantiello, P. Rigatti, F. Montorsi, A. Briganti
- What is the optimal post-operative management of men with lymph node recurrent prostate cancer after salvage lymph node dissection? results from a large, multi-institutional series A. Briganti, N. Fossati, N. Suardi, **M. Bandini**, M. Colicchia, R.J. Karnes, F. Haidl, D. Pfister, D. Porres, A. Heidenreich, A. Herlemann, C. Gratzke, C. Stief, A. Battaglia, W. Everaerts, S. Joniau, H. Van Poppel, A. Aksenov, D.K. Osmonov, K.-P. Juenemann, A.D.L. Abreu, F. Almeida, C. Fay, I. Gill, A. Mottrie, F. Montorsi
- Prediction of extreme upgrade from biopsy grade 1 to grade 4 or 5 at radical prostatectomy: the importance of the extent of biopsy sampling E. Zaffuto, G. Gandaglia, **M. Bandini**, P. Dell'Oglio, N. Fossati, F. Pellegrino, V. Mirone, R. Damiano, V. Cucchiara, M. Bianchi, F. Dehò, E. Montanari, N. Suardi, R. Montironi, F. Montorsi, A. Briganti

- Does the Inclusion of Non-Index Lesions at Biopsy Improve Our Ability to Predict Adverse Pathologic Outcomes at Radical Prostatectomy? Implications for Targeted plus Systematic Biopsy Schemes Giorgio Gandaglia*, **Marco Bandini**, Paolo Dell'Oglio, Nicola Fossati, Francesco Pellegrino, Giuseppe Fallara, Emanuele Zaffuto, Carlo Andrea Bravi, Luigi Nocera, Rocco Damiano, Massimo Freschi, Rodolfo Montironi, Francesco Montorsi, Alberto Briganti
- Incompleteness of the transurethral resection as a predictor of adverse pathological features at the time of radical cystectomy: implications for neoadjuvant chemotherapy selection Marco Moschini*, **Marco Bandini**, Giusy Burgio, Giovanni La Croce, Emanuele Zaffuto, Andrea Gallina, Agostino Mattei, Rocco Damiano, Vincenzo Mirone, Shahrokh Shariat
- Impact of intra- and post-operative blood transfusion on the incidence, timing and pattern of disease recurrence after radical cystectomy Marco Moschini*, Andrea Gallina, **Marco Bandini**, Paolo Dell'Oglio, Giovanni La Croce, Giusy Burgio, Agostino Mattei, Rocco Damiano, Vincenzo Mirone, Alberto Briganti, Francesco Montorsi
- Is transurethral resection alone enough for diagnosis histological variants? A single center study Marco Moschini*, Renzo Colombo, Shahrokh Shariat, Giusy Burgio, Rocco Damiano, Agostino Mattei, **Marco Bandini**, Paolo Dell'Oglio, Emanuele Zaffuto, Andrea Salonia, Francesco Montorsi, Alberto Briganti, Andrea Gallina
- Pattern of positive node metastases in patients treated with extended and super extended pelvic lymph node dissection and radical cystectomy due to bladder cancer Marco Moschini*, Renzo Colombo, Nazareno Suardi, Giusy Burgio, **Marco Bandini**, Emanuele Zaffuto, Rocco Damiano, Agostino Mattei, Vincenzo Mirone, Shahrokh Shariat, Alberto Briganti, Francesco Montorsi, Andrea Gallina
- Is there an age limit for the indication of extended pelvic lymph node dissection during radical prostatectomy in patients with clinically localized prostate cancer? Alessandro Larcher*, Nicola Fossati, Giorgio Gandaglia, Umberto Capitanio, Paolo Dell'Oglio, Emanuele Zaffuto, Nazareno Suardi, **Marco Bandini**, Shahrokh Shariat, Francesco Montorsi, Alberto Briganti

- Importance of Tumor Size as Risk Stratification Parameter in Upper Tract Urothelial Carcinoma (UTUC) Beat Foerster*, Thomas Seisen, **Marco Bandini**, Kees Hendricksen, Anna K. Czech, Marco Moschini, Mohammad Abufaraj, Marco Bianchi, et al.
- Prediction of extreme upgrade from biopsy grade 1 to grade 4 or 5 at radical prostatectomy: the importance of the extent of biopsy sampling Emanuele Zaffuto*, Giorgio Gandaglia, **Marco Bandini**, Paolo Dell'Oglio, Nicola Fossati, Francesco Pellegrino, Vincenzo Mirone, Vito Cucchiara, Marco Bianchi, Federico Dehó, Emanuele Montanari, et al.
- Impact of Previous Experience with Open Surgery and Initial Annual Robotic Caseload on Positive Surgical Margin Rates after Robot-assisted Radical Prostatectomy Giorgio Gandaglia*, Nazareno Suardi, Paolo Dell'Oglio, Nicola Fossati, Emanuele Zaffuto, Giuseppe Saitta, **Marco Bandini**, Giorgio Guazzoni, Franco Gaboardi, Vincenzo Mirone, Rocco Damiano, Andrea Gallina, et al.
- Association Between Early Urinary Continence and Erectile Function Recovery after Robot-Assisted Radical Prostatectomy: Development of a Novel Postoperative Risk Score To Optimize Patient Counseling and Follow-up Giorgio Gandaglia*, Nazareno Suardi, Andrea Gallina, Paolo Dell'Oglio, Nicola Fossati, Vito Cucchiara, Marco Moschini, **Marco Bandini**, Emanuele Zaffuto, Andrea Salonia, Franco Gaboardi, Rocco Damiano, Vincenzo Mirone, et al.
- Surgical expertise is the major determinant of decreased complication rates in contemporary patients treated with robot-assisted radical prostatectomy Paolo Dell'Oglio*, Armando Stabile, Emanuele Zaffuto, Giorgio Gandaglia, Nicola Fossati, **Marco Bandini**, Giulio Patruno, Aldo Brassetti, Federico Dehó, Giorgio Guazzoni, Gianluca D'Elia, , Nazareno Suardi, et al.
- Impact of stage migration on metastatic prostate cancer: evidence of more favourable disease characteristics over time Emanuele Zaffuto*, Helen Davis Bondarenko, Raisa S. Pompe, Paolo Dell'Oglio, Giorgio Gandaglia, Nicola Fossati, Armando Stabile, **Marco Bandini**, Francesco Montorsi, Alberto Briganti, Pierre I. Karakiewicz

- Assessing the 20-year outcomes of radical prostatectomy for high risk prostate cancer: results from a large, multi-institutional series Marco Bianchi*, Michele Colicchia, Giorgio Gandaglia, Stefania Munegato, Nicola Fossati, **Marco Bandini**, Armando Stabile, Paolo Dell'Oglio, Nazareno Suardi, Paolo Gontero, et al

**32th Annual Congress of the European Association of Urology (EAU), London, 24th-28th
March 2017**

- Association between early urinary continence and erectile function recovery after robot-assisted radical prostatectomy: Development of a novel postoperative risk score to optimize patient counseling and follow-up Gandaglia G., Suardi N, Gallina A., Dell'Oglio P., Fossati N., Cucchiara V., Moschini M., **Bandini M.**, Zaffuto E., Salonia A., Gaboardi F., Damiano R., Mirone V., Montorsi F., Briganti A.
- Preoperative hemoglobin to platelet ratio as a predictor of survival after radical cystectomy due to bladder cancer, synergic effect of anemia and thrombocytosis La Croce G., Moschini M., Dell'Oglio P., Nini A., **Bandini M.**, Capogrosso P., Ventimiglia E., Sanchez-Salas R., Salonia A., Briganti A., Montorsi F., Gallina A., Colombo R.
- Assessing the 20-year outcomes of radical prostatectomy for high risk prostate cancer: Results from a large, multi-institutional series Bianchi M., Colicchia M., Gandaglia G., Munegato S., Fossati N., **Bandini M.**, Stabile A., Dell'Oglio P., Suardi N., Gontero P., Karnes J., Joniau S., Spahn M., Montorsi F., Briganti A.
- Predictors of early cancer specific and other cause mortality in high risk prostate cancer patients after radical prostatectomy: Results from a large, multi-institutional analysis Bianchi M., Gandaglia G., Fossati N., Dell'Oglio P., Joniau S., Colicchia M., Munegato S., **Bandini M.**, Spahn M., Scattoni V., Gontero P., Karnes J., Montorsi F., Briganti A.
- Does the inclusion of non-index lesions at biopsy improve our ability to predict adverse pathologic outcomes at radical prostatectomy? Implications for targeted plus systematic

biopsy schemes Gandaglia G., **Bandini M.**, Dell'Oglio P., Fossati N., Pellegrino F, Fallara G., Zaffuto E., Bravi C.A., Nocera L., Damiano R., Freschi M., Montironi R., Montorsi F., Briganti A.

- Surgical expertise is the major determinant of decreased complication rates in contemporary patients treated with robot-assisted radical prostatectomy Dell'Oglio P., Stabile A., Zaffuto E., Gandaglia G., Fossati N., **Bandini M.**, Moschini M., Fallara G., Dehò F., Guazzoni G., Gallina A., Suardi N., Gaboardi F., Montorsi F., Briganti A.
- Pattern of positive node metastases in patients treated with extended and super extended pelvic lymph node dissection and radical cystectomy due to bladder cancer Moschini M., Colombo R., Suardi N., Burgio G., **Bandini M.**, Zaffuto E., Damiano R., Mattei A., Shariat S., Briganti A., Montorsi F., Gallina A.
- Trends of lymphadenectomy in upper tract urothelial carcinoma patients treated with radical nephroureterectomy: The impact of surgical technique Moschini M., Seisen T., Roupret M., Colin P., De La Taille A., Peyronnet B., Bensalah K., Foester B., Herout R., Abufaraj M., Wirth M.P., Novotny V., Chlosta P., **Bandini M.**, Briganti A., Simone G., Gallucci M., Romeo G., Matsumoto K., Karakiewicz P., Shariat S.
- What is the optimal post-operative management of men with lymph node recurrent prostate cancer after salvage lymph node dissection? Results from a large, multi-institutional series Briganti A., Fossati N., Suardi N., **Bandini M.**, Colicchia M., Karnes J.R., Haidl F., Pfister D., Porres D., Heidenreich A., Herlemann A., Gratzke C., Stief C., Battaglia A., Everaerts W., Joniau S., Van Poppel H., Aksenov A.V., Osmonov D.K., Jünemann K.P., Abreu A.D.L., Almeida F., Fay C., Gill I., Mottrie A.M., Montorsi F.
- Salvage lymph node dissection in nodal recurrent prostate cancer is not devoid of complications: Results from a single tertiary referral center Dell'Oglio P., Gandaglia G., Stabile A., Fossati N., Bianchi M., Bravi C., Zaffuto E., **Bandini M.**, Fallara G., Gallina A., Suardi N., Rigatti P., Montorsi F., Briganti A.

**89° Congresso Nazionale della Società Italiana di Urologia (SIU), Venice, 15th-18th October
2016**

- Cognitive MRI-target biopsies in the diagnosis of clinically significant prostate cancer F. Deho', A. Stabile, G. Gandaglia, P. Dell'Oglio, N. Fossati, E. Zaffuto, A. Larcher, **M. Bandini**, F. Montorsi, A. Briganti (Milano)
- The presence of residual carcinoma in situ alone (pTis) in patients treated with radical cystectomy does not affect long term recurrence and survival rates A. Gallina, E. Di Trapani, S. Luzzago, **M. Bandini**, G. Burgio, S.F. Shariat, R. Damiano, A. Salonia, A. Briganti, F. Montorsi, R. Colombo, M. Moschini (Milano)
- Timing of blood transfusion and not abo blood type is associated with survival in patients treated with radical cystectomy for non-metastatic bladder cancer: results from a single high-volume institution M. Moschini, G. Gandaglia, V. Cucchiara, **M. Bandini**, S. Luzzago, G. Burgio, S.F. Shariat, R. Damiano, A. Salonia, A. Briganti, F. Montorsi, R. Colombo, A. Gallina (Milano)
- Impact of stage migration on bladder cancer: a slow but steady improvement in the long term survival rates after radical cystectomy in the last 25 years A. Gallina, **M. Bandini**, V. Cucchiara, S. Luzzago, P. Dell'Oglio, G. Burgio, S.F. Shariat, V. Serretta, R. Damiano, A. Briganti, F. Montorsi, R. Colombo, M. Moschini (Milano)
- Trends over time of pathologic characteristics and biochemical recurrence rates in active surveillance candidates treated with radical prostatectomy **M. Bandini**, P. Dell'Oglio, S.-R. Leyh-Bannurah, G. Gandaglia, L. Budaus, N. Fossati, D. Tilki, N. Suardi, U. Capitano, M. Graefen, F. Montorsi, A. Briganti (Milano)
- When is tumour volume an exclusion criteria for focal therapy? Results from a radical prostatectomy series **M. Bandini**, N. Fossati, G. Gandaglia, A. Larcher, A. Stabile, A. Gallina, M. Picozzi, E. Farina, A. Salonia, F. Montorsi, A. Briganti (Milano)

**88° Congresso Nazionale della Società Italiana di Urologia (SIU), Riccione, 10th-13th October
2015**

- Ruolo della tomografia computerizzata multifasica (TC) nel management clinico delle piccole masse renali (SRMs) V. Vagnoni, M. Borghesi, E. Brunocilla, L. Bianchi, M.S. Rossi, **M. Bandini**, R. Golfieri, C. Gaudio, C.V. Pultrone, H. Dababneh, G. Martorana, R. Schiavina (Bologna)

**30th Annual Congress of the European Association of Urology (EAU), Madrid, 20th-24th
March 2015**

- Can the multiphasic computed tomography (CT) scan be useful in the clinical management of small renal masses? Vagnoni V., Gaudio C., Borghesi M., **Bandini M.**, Brunocilla E., Di Carlo M., Busato F., Golfieri R., Martorana G., Schiavina R. 22 Mar 2015.